

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS Offeror To Complete Block 12, 17, 23, 24, & 30				1. Requisition Number SEE SCHEDULE		Page 1 Of 113							
2. Contract No. W56HZV-04-D-0181		3. Award/Effective Date 2004MAY25		4. Order Number		5. Solicitation Number		6. Solicitation Issue Date					
7. For Solicitation Information Call:		A. Name DENISE MIKA			B. Telephone Number (No Collect Calls) (586) 574-5763		8. Offer Due Date/Local Time						
9. Issued By TACOM WARREN BLDG 231 AMSTA-AQ-ATBB WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL e-mail: MIKAD@TACOM.ARMY.MIL		Code W56HZV		10. This Acquisition Is <input checked="" type="checkbox"/> Unrestricted <input type="checkbox"/> Set Aside: % For <input type="checkbox"/> Small Business <input type="checkbox"/> Hubzone Small Business <input type="checkbox"/> 8(A) NAICS: 561990 Size Standard:		11. Delivery For FOB Destination Unless Block Is Marked <input checked="" type="checkbox"/> See Schedule <input checked="" type="checkbox"/> 13a. This Contract Is A Rated Order Under DPAS (18 CFR 700) 13b. Rating DOA4 14. Method Of Solicitation <input type="checkbox"/> RFQ <input type="checkbox"/> IFB <input type="checkbox"/> RFP		12. Discount Terms					
15. Deliver To SEE SCHEDULE		Code		16. Administered By DCMA VIRGINIA 10500 BATTLEVIEW PKWY SUITE 200 MANASSAS VA 20109-2342		Code S2404A							
Telephone No.													
17. Contractor/Offeror ANHAM JOINT VENTURE 8075 LEESBURG PIKE SUITE 760 VIENNA, VA. 22182-2739 Telephone No. (703) 442-8668		Code 3U0Y5		Facility		18a. Payment Will Be Made By DFAS-COLUMBUS CENTER DFAS-CO/SOUTH ENTITLEMENT OPERATION P.O. BOX 182264 COLUMBUS, OH 43218-2264		Code HQ0338					
<input type="checkbox"/> 17b. Check If Remittance Is Different And Put Such Address In Offer				18b. Submit Invoices To Address Shown In Block 18a Unless Block Below Is Checked <input type="checkbox"/> See Addendum									
19. Item No.		20. Schedule Of Supplies/Services SEE SCHEDULE Contract Expiration Date: 2006SEP30 (Use Reverse and/or Attach Additional Sheets As Necessary)				21. Quantity		22. Unit		23. Unit Price		24. Amount	
25. Accounting And Appropriation Data										26. Total Award Amount (For Govt. Use Only) \$0.00			
<input type="checkbox"/> 27a.Solicitation Incorporates By Reference FAR 52.212-1,52.212-4,FAR 52.212-3 And 52.212-5 Are Attached. Addenda <input type="checkbox"/> Are <input type="checkbox"/> Are Not Attached.										<input type="checkbox"/> Are <input type="checkbox"/> Are Not Attached.			
<input checked="" type="checkbox"/> 27b.Contract/Purchase Order Incorporates By Reference FAR 52.212-4. FAR 52.212-5 Is Attached. Addenda										<input checked="" type="checkbox"/> Are <input type="checkbox"/> Are Not Attached.			
<input type="checkbox"/> 28. Contractor Is Required To Sign This Document And Return _____ Copies To Issuing Office. Contractor Agrees To Furnish And Deliver All Items Set Forth Or Otherwise Identified Above And On Any Additional Sheets Subject To The Terms And Conditions Specified Herein.										<input type="checkbox"/> 29. Award Of Contract: Ref. _____ Offer Dated _____. Your Offer On Solicitation (Block 5), Including Any Additions Or Changes Which Are Set Forth Herein, Is Accepted As To Items:			
30a. Signature Of Offeror/Contractor					31a. United States Of America (Signature Of Contracting Officer)								
30b. Name And Title Of Signer (Type Or Print)			30c. Date Signed		31b. Name Of Contracting Officer (Type Or Print) DENISE MIKA /SIGNED/ MIKAD@TACOM.ARMY.MIL (586) 574-5763					31c. Date Signed			
Authorized For Local Reproduction Previous Edition Is Not Usable										Standard Form 1449 (Rev. 4/2002) Prescribed By GSA-FAR (48 CFR) 53.212			

19. Item No.	20. Schedule Of Supplies/Services	21. Quantity	22. Unit	23. Unit Price	24. Amount

32a. Quantity In Column 21 Has Been

☐ Received ☐ Inspected ☐ Accepted, And Conforms To The Contract, Except As Noted: _____

32b. Signature Of Authorized Government Representative		32c. Date	32d. Printed Name and Title of Authorized Government Representative		
32e. Mailing Address of Authorized Government Representative			32f. Telephone Number of Authorized Government Representative		
			32g. E-Mail of Authorized Government Representative		
33. Ship Number		34. Voucher Number	35. Amount Verified Correct For	36. Payment	37. Check Number
<input type="checkbox"/> Partial	<input type="checkbox"/> Final			<input type="checkbox"/> Complete <input type="checkbox"/> Partial <input type="checkbox"/> Final	
38. S/R Account Number	39. S/R Voucher Number	40. Paid By			
41a. I Certify This Account Is Correct And Proper For Payment			42a. Received By (Print)		
41b. Signature And Title Of Certifying Officer			41c. Date	42b. Received At (Location)	
				42c. Date Rec'd (YY/MM/DD)	42d. Total Containers

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 2 of 113
--------------------	---------------------------------------------------------------------------------	---------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
1001	<p>SUPPLIES OR SERVICES AND PRICES/COSTS</p> <p>SECURITY CLASS: Unclassified</p> <p>The following Supplies/Services Schedule contain Contract Line Item Numbers (CLINs) that are numbered in the following manner:</p> <p>The first digit of the CLIN is the Order Period number. The last number is the group that the item is in. For example, CLIN 1001AA, would be the first ordering period and the first group and AA would be the first item. For another example, 2002AB, would be second ordering period, second group, second item.</p> <p>The following definitions apply to the entire solicitation and resulting contract:</p> <p>First Ordering Period of the contract is 1 June 2004 until 31 May 2005.</p> <p>Second Ordering Period of the contract is 1 June 2005 until 31 May 2006.</p> <p>Third Ordering Period of the contract is 1 June until 30 September 2006.</p> <p>NOTE: The price applicable to an individual order is the price for the contract year in which the order is issued. The delivery date does not determine the contract year.</p> <p>The minimum quantity for this contract is as follows is listed in CLINs 1001 to 1007.</p> <p>The prices and the maximum quantity is listed in Attachment 3.</p> <p>NOTE: Each ordering period is estimated at quantities listed in the schedule.</p> <p>NOUN: Vehicle and Rolling Stock IAW Section C, Statement of Work, Attachment 1.</p> <p>(End of narrative A001)</p>				
1001AA	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: MED WHEELED VEH IAW SEC C</p> <p><u>Packaging and Marking</u></p> <p>PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial</p>	EST 990	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				
1001AB	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: HEAVY WHEELED VEH IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 795	EA		
1001AC	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: MOTORCYCLES IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p>	EST 156	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 4 of 113
--------------------	---------------------------------------------------------------------------------	---------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
1001AD	<p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: AMBULANCE VEH IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 129	EA		
1001AE	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: WATER TRAILER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 57	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 5 of 113
--------------------	---------------------------------------------------------------------------------	---------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
1001AF	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: REFUEL VEH/TANKER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 57	EA		
1001AG	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: RECOVERY VEH IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 102	EA		
1001AH	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: CARGO TRAILER IAW SEC C</p>	EST 765	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 6 of 113
--------------------	---------------------------------------------------------------------------------	---------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.				
1001AJ	<u>FIRST ORDERING PERIOD</u> NOUN: LARGE CARGO TRAILER IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 102	EA		
1001AK	<u>FIRST ORDERING PERIOD</u> NOUN: KITCHEN TRAILER IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial	EST 57	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 7 of 113
--------------------	---------------------------------------------------------------------------------	---------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
1001AL	<p>LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: 2.5 KW DIESEL GEN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 45	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 8 of 113
--------------------	---------------------------------------------------------------------------------	---------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Vehicle and Rolling Stock IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
1002	SECURITY CLASS: Unclassified				
1002AA	<u>FIRST ORDERING PERIOD</u> NOUN: 9MM CMBT HANDGUN IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 1,023	EA		
1002AB	<u>FIRST ORDERING PERIOD</u> NOUN: AK-47 (OR AKM) IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 12,192	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 9 of 113
--------------------	---------------------------------------------------------------------------------	---------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
1002AC	<p>REQUISITION.</p> <p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: PKM HVY MACHINE GUN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 426	EA		
1002AD	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: RPK LT MACHINE GUN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 1,320	EA		
1002AE	<p><u>FIRST ORDERING PERIOD</u></p>	EST 90	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: ARMORER KIT IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: DestinationACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 11 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Communication Equipment IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
1003	SECURITY CLASS: Unclassified				
1003AA	<u>FIRST ORDERING PERIOD</u> NOUN: SHORT RANGE RADIO IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 2,187	EA		
1003AB	<u>FIRST ORDERING PERIOD</u> NOUN: LONG RANGE RADIO IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 675	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 12 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
1003AC	<p>REQUISITION.</p> <p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: RADIO REPEAT/FIXED IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 42	EA		
1003AD	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: RADIO REPEAT/MOBILE IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 36	EA		
1003AE	<p><u>FIRST ORDERING PERIOD</u></p>	EST 21	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 13 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: BASE STATION IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				
1003AF	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: FIXED HF RADIO IAW SEC CEST 2</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 21	EA		
1003AG	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: MOBILE HF RADIO IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES</p>	EST 63	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<div>LEVEL PRESERVATION: Commercial</div> <div>LEVEL PACKING: Commercial</div> <div>Inspection and Acceptance</div> <div>INSPECTION: DestinationACCEPTANCE: Destination</div> <div>FOB POINT: Destination</div> <div>SHIP TO: PARCEL POST ADDRESS</div> <div>(Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE</div> <div>(SHIP-TO) WILL BE FURNISHED PRIOR</div> <div>TO THE SCHEDULED DELIVERY DATE FOR</div> <div>ITEMS REQUIRED UNDER THIS</div> <div>REQUISITION.</div>				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 15 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Night Vision IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
1004	SECURITY CLASS: Unclassified				
1004AA	<u>FIRST ORDERING PERIOD</u> NOUN: IND NIGHT VISION IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 2,424	EA		
1004AB	<u>FIRST ORDERING PERIOD</u> NOUN: WPN MTD NGHT VISION IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 390	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	REQUISITION.				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 17 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Fire Control IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
1005	SECURITY CLASS: Unclassified				
1005AA	<u>FIRST ORDERING PERIOD</u> NOUN: BINOCULARS IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 1,950	EA		
1005AB	<u>FIRST ORDERING PERIOD</u> NOUN: COMPASS IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 2,664	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
1005AC	<p>REQUISITION.</p> <p>FIRST ORDERING PERIOD</p> <p>NOUN: GPS IAW SEC C</p> <p>Packaging and Marking</p> <p>PACKAGING/PACKING/SPECIFICATIONS:</p> <p>BEST COMMERCIAL PRACTICES</p> <p>LEVEL PRESERVATION: Commercial</p> <p>LEVEL PACKING: Commercial</p> <p>Inspection and Acceptance</p> <p>INSPECTION: DestinationACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: PARCEL POST ADDRESS</p> <p>(Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE</p> <p>(SHIP-TO) WILL BE FURNISHED PRIOR</p> <p>TO THE SCHEDULED DELIVERY DATE FOR</p> <p>ITEMS REQUIRED UNDER THIS</p> <p>REQUISITION.</p>	EST 696	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 19 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Individual Soldier Equipment IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
1006	SECURITY CLASS: Unclassified				
1006AA	<u>FIRST ORDERING PERIOD</u> NOUN: SLEEPING BAG IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 13,572	EA		
1006AB	<u>FIRST ORDERING PERIOD</u> NOUN: ENTRENCH TOOL IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 13,572	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 20 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
1006AC	<p>REQUISITION.</p> <p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: LOAD BEARING VEST IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 13,572	EA		
1006AD	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: PONCHO IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 13,572	EA		
1006AE	<p><u>FIRST ORDERING PERIOD</u></p>	EST 13,572	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 21 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: PONCHO LINER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				
1006AF	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: DUST GOGGLES IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 13,572	EA		
1006AG	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: BODY ARMOR IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES</p>	EST 13,572	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 22 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
1006AH	<p>LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: HELMET IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 13,572	EA		
1006AJ	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: WATER CAN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p>	EST 8,925	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 23 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
1006AK	<p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: FUEL CAN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 5,925	EA		
1006AL	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: MEDIUM TENT IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS</p>	EST 270	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 24 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
1006AM	<p>REQUISITION.</p> <p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: RUCKSACK IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 13,572	EA		
1006AN	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: PISTOL BELT IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 13,572	EA		
1006AP	<p><u>FIRST ORDERING PERIOD</u></p>	EST 27,144	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 25 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: CANTEEN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				
1006AQ	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: CANTEEN CUP IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 27,144	EA		
1006AR	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: CANTEEN COVER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES</p>	EST 27,144	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<div>LEVEL PRESERVATION: Commercial</div> <div>LEVEL PACKING: Commercial</div> <div>Inspection and Acceptance</div> <div>INSPECTION: DestinationACCEPTANCE: Destination</div> <div>FOB POINT: Destination</div> <div>SHIP TO: PARCEL POST ADDRESS</div> <div>(Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE</div> <div>(SHIP-TO) WILL BE FURNISHED PRIOR</div> <div>TO THE SCHEDULED DELIVERY DATE FOR</div> <div>ITEMS REQUIRED UNDER THIS</div> <div>REQUISITION.</div>				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 27 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: Training Support for Battalion Sets In Accordance With (IAW) Section C, Statement of Work, Attachment 1.</p> <p>(End of narrative A001)</p>				
1007	SECURITY CLASS: Unclassified				
1007AA	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: Manuals for Items 1001AA thru 1006AR IAW Section C.</p> <p>(End of narrative B001)</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p>	1	LO		
1007AB	<p><u>FIRST ORDERING PERIOD</u></p> <p>NOUN: Operator Training Support for Items 0001AA thru 0006AR IAW Section C.</p> <p>(End of narrative B001)</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p>	1	LO		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 28 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Vehicle and Rolling Stock IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
2001	SECURITY CLASS: Unclassified				
2001AA	<u>SECOND ORDERING PERIOD</u> NOUN: MED WHEELED VEH IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 560	EA		
2001AB	<u>SECOND ORDERING PERIOD</u> NOUN: HEAVY WHEELED VEH IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 450	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 29 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2001AC	<p>REQUISITION.</p> <p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: MOTORCYCLES IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 80	EA		
2001AD	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: AMBULANCE VEH IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 70	EA		
2001AE	<p><u>SECOND ORDERING PERIOD</u></p>	EST 30	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 30 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: WATER TRAILER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				
2001AF	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: REFUEL VEH/TANKER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 30	EA		
2001AG	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: RECOVERY VEH IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES</p>	EST 60	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 31 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2001AH	<p>LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: CARGO TRAILER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 510	EA		
2001AJ	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: LARGE CARGO TRAILER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p>	EST 60	SE		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 32 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2001AK	<p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: KITCHEN TRAILER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 30	EA		
2001AL	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: 2.5 KW DIESEL GEN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS</p>	EST 30	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	REQUISITION.				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 34 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Vehicle and Rolling Stock IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
2002	SECURITY CLASS: Unclassified				
2002AA	<u>SECOND ORDERING PERIOD</u> NOUN: 9MM CMBT HANDGUN IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 570	EA		
2002AB	<u>SECOND ORDERING PERIOD</u> NOUN: AK-47 (OR AKM) IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 6,920	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 35 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2002AC	<p>REQUISITION.</p> <p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: PKM HVY MACHINE GUN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 260	EA		
2002AD	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: RPK LT MACHINE GUN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 880	EA		
2002AE	<p><u>SECOND ORDERING PERIOD</u></p>	EST 60	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: ARMORER KIT IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: DestinationACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 37 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Communication Equipment IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
2003	SECURITY CLASS: Unclassified				
2003AA	<u>SECOND ORDERING PERIOD</u> NOUN: SHORT RANGE RADIO IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 1,250	EA		
2003AB	<u>SECOND ORDERING PERIOD</u> NOUN: LONG RANGE RADIO IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 370	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 38 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2003AC	<p>REQUISITION.</p> <p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: RADIO REPEAT/FIXED IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 20	EA		
2003AD	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: RADIO REPEAT/MOBILE IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 20	EA		
2003AE	<p><u>SECOND ORDERING PERIOD</u></p>	EST 10	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 39 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: BASE STATION IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				
2003AF	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: FIXED HF RADIO IAW SEC CEST 2</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 10	EA		
2003AG	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: MOBILE HF RADIO IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES</p>	EST 30	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: DestinationACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000)SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 41 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Night Vision IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
2004	SECURITY CLASS: Unclassified				
2004AA	<u>SECOND ORDERING PERIOD</u> NOUN: IND NIGHT VISION IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 1,180	EA		
2004AB	<u>SECOND ORDERING PERIOD</u> NOUN: WPN MTD NGHT VISION IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 260	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	REQUISITION.				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 43 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Fire Control IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
2005	SECURITY CLASS: Unclassified				
2005AA	<u>SECOND ORDERING PERIOD</u> NOUN: BINOCULARS IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 1,180	EA		
2005AB	<u>SECOND ORDERING PERIOD</u> NOUN: COMPASS IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 1,540	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2005AC	<p>REQUISITION.</p> <p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: GPS IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: DestinationACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 320	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 45 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Individual Soldier Equipment IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
2006	SECURITY CLASS: Unclassified				
2006AA	<u>SECOND ORDERING PERIOD</u> NOUN: SLEEPING BAG IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 7,720	EA		
2006AB	<u>SECOND ORDERING PERIOD</u> NOUN: ENTRENCH TOOL IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 7,720	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 46 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2006AC	<p>REQUISITION.</p> <p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: LOAD BEARING VEST IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 7,720	EA		
2006AD	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: PONCHO IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 7,720	EA		
2006AE	<p><u>SECOND ORDERING PERIOD</u></p>	EST 7,720	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 47 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: PONCHO LINER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				
2006AF	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: DUST GOGGLES IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 7,720	EA		
2006AG	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: BODY ARMOR IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES</p>	EST 7,720	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 48 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				
2006AH	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: HELMET IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 7,720	EA		
2006AJ	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: WATER CAN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p>	EST 5,150	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 49 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2006AK	<p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: FUEL CAN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 3,150	EA		
2006AL	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: MEDIUM TENT IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS</p>	EST 140	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 50 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
2006AM	<p>REQUISITION.</p> <p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: RUCKSACK IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 7,720	EA		
2006AN	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: PISTOL BELT IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 7,720	EA		
2006AP	<p><u>SECOND ORDERING PERIOD</u></p>	EST 15,440	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 51 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: CANTEEN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				
2006AQ	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: CANTEEN CUP IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 15,440	EA		
2006AR	<p><u>SECOND ORDERING PERIOD</u></p> <p>NOUN: CANTEEN COVER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES</p>	EST 15,440	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<div>LEVEL PRESERVATION: Commercial</div> <div>LEVEL PACKING: Commercial</div> <div></div> <div><u>Inspection and Acceptance</u></div> <div>INSPECTION: DestinationACCEPTANCE: Destination</div> <div></div> <div>FOB POINT: Destination</div> <div></div> <div>SHIP TO: <u>PARCEL POST ADDRESS</u></div> <div>(Y00000)SHIPPING INSTRUCTIONS FOR CONSIGNEE</div> <div>(SHIP-TO) WILL BE FURNISHED PRIOR</div> <div>TO THE SCHEDULED DELIVERY DATE FOR</div> <div>ITEMS REQUIRED UNDER THIS</div> <div>REQUISITION.</div>				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 53 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Vehicle and Rolling Stock IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
3001	SECURITY CLASS: Unclassified				
3001AA	<u>THIRD ORDERING PERIOD</u> NOUN: MED WHEELED VEH IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 560	EA		
3001AB	<u>THIRD ORDERING PERIOD</u> NOUN: HEAVY WHEELED VEH IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 450	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 54 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
3001AC	<p>REQUISITION.</p> <p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: MOTORCYCLES IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 80	EA		
3001AD	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: AMBULANCE VEH IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 70	EA		
3001AE	<p><u>THIRD ORDERING PERIOD</u></p>	EST 30	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 55 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: WATER TRAILER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				
3001AF	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: REFUEL VEH/TANKER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 30	EA		
3001AG	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: RECOVERY VEH IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES</p>	EST 60	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 56 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
3001AH	<p>LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: CARGO TRAILER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 510	EA		
3001AJ	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: LARGE CARGO TRAILER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p>	EST 60	SE		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 57 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
3001AK	<p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: KITCHEN TRAILER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 30	EA		
3001AL	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: 2.5 KW DIESEL GEN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS</p>	EST 30	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	REQUISITION.				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 59 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Vehicle and Rolling Stock IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
3002	SECURITY CLASS: Unclassified				
3002AA	<u>THIRD ORDERING PERIOD</u> NOUN: 9MM CMBT HANDGUN IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 570	EA		
3002AB	<u>THIRD ORDERING PERIOD</u> NOUN: AK-47 (OR AKM) IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 6,920	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 60 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
3002AC	<p>REQUISITION.</p> <p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: PKM HVY MACHINE GUN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 260	EA		
3002AD	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: RPK LT MACHINE GUN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 880	EA		
3002AE	<p><u>THIRD ORDERING PERIOD</u></p>	EST 60	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: ARMORER KIT IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: DestinationACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 62 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Communication Equipment IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
3003	SECURITY CLASS: Unclassified				
3003AA	<u>THIRD ORDERING PERIOD</u> NOUN: SHORT RANGE RADIO IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 1,250	EA		
3003AB	<u>THIRD ORDERING PERIOD</u> NOUN: LONG RANGE RADIO IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 370	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 63 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
3003AC	<p>REQUISITION.</p> <p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: RADIO REPEAT/FIXED IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 20	EA		
3003AD	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: RADIO REPEAT/MOBILE IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 20	EA		
3003AE	<p><u>THIRD ORDERING PERIOD</u></p>	EST 10	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 64 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: BASE STATION IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				
3003AF	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: FIXED HF RADIO IAW SEC CEST 2</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 10	EA		
3003AG	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: MOBILE HF RADIO IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES</p>	EST 30	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: DestinationACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000)SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 66 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Night Vision IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
3004	SECURITY CLASS: Unclassified				
3004AA	<u>THIRD ORDERING PERIOD</u> NOUN: IND NIGHT VISION IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 1,180	EA		
3004AB	<u>THIRD ORDERING PERIOD</u> NOUN: WPN MTD NGHT VISION IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 260	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	REQUISITION.				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 68 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Fire Control IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
3005	SECURITY CLASS: Unclassified				
3005AA	<u>THIRD ORDERING PERIOD</u> NOUN: BINOCULARS IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 1,180	EA		
3005AB	<u>THIRD ORDERING PERIOD</u> NOUN: COMPASS IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 1,540	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
3005AC	<p>REQUISITION.</p> <p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: GPS IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: DestinationACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 320	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 70 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NOUN: Individual Soldier Equipment IAW Section C, Statement of Work, Attachment 1. (End of narrative A001)				
3006	SECURITY CLASS: Unclassified				
3006AA	<u>THIRD ORDERING PERIOD</u> NOUN: SLEEPING BAG IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.	EST 7,720	EA		
3006AB	<u>THIRD ORDERING PERIOD</u> NOUN: ENTRENCH TOOL IAW SEC C <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial <u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS	EST 7,720	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 71 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
3006AC	<p>REQUISITION.</p> <p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: LOAD BEARING VEST IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 7,720	EA		
3006AD	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: PONCHO IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 7,720	EA		
3006AE	<p><u>THIRD ORDERING PERIOD</u></p>	EST 7,720	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 72 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: PONCHO LINER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				
3006AF	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: DUST GOGGLES IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 7,720	EA		
3006AG	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: BODY ARMOR IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES</p>	EST 7,720	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 73 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
3006AH	<p>LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: HELMET IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 7,720	EA		
3006AJ	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: WATER CAN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p>	EST 5,150	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 74 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
3006AK	<p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: FUEL CAN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 3,150	EA		
3006AL	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: MEDIUM TENT IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS</p>	EST 140	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 75 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
3006AM	<p>REQUISITION.</p> <p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: RUCKSACK IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 7,720	EA		
3006AN	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: PISTOL BELT IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 7,720	EA		
3006AP	<p><u>THIRD ORDERING PERIOD</u></p>	EST 15,440	EA		

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 76 of 113
--------------------	---------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>NOUN: CANTEEN IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>				
3006AQ	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: CANTEEN CUP IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Destination ACCEPTANCE: Destination</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	EST 15,440	EA		
3006AR	<p><u>THIRD ORDERING PERIOD</u></p> <p>NOUN: CANTEEN COVER IAW SEC C</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: BEST COMMERCIAL PRACTICES</p>	EST 15,440	EA		

Name of Offeror or Contractor: ANHAM JOINT VENTURE

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<div>LEVEL PRESERVATION: Commercial</div> <div>LEVEL PACKING: Commercial</div> <div>Inspection and Acceptance</div> <div>INSPECTION: DestinationACCEPTANCE: Destination</div> <div>FOB POINT: Destination</div> <div>SHIP TO: PARCEL POST ADDRESS</div> <div>(Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE</div> <div>(SHIP-TO) WILL BE FURNISHED PRIOR</div> <div>TO THE SCHEDULED DELIVERY DATE FOR</div> <div>ITEMS REQUIRED UNDER THIS</div> <div>REQUISITION.</div>				

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 78 of 113
	PIIN/SIIN W56HZV-04-D-0181	MOD/AMD	

Name of Offeror or Contractor: ANHAM JOINT VENTURE

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.247-4457 (TACOM)	LONG TERM CONTRACTS - FOB DESTINATION	OCT/1999

For the purpose of offerors compiling FOB Destination offers, the final destination for the supplies will be one or more of the following destinations; in the following estimated percentages, if listed:

- Kirkush Military Training Base, Iraq
- Tadji Military Training Base, Iraq
- An Numaniyah, Iraq
- Al Kasik, Iraq

See Section F and Attachment 4 for further details.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 79 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

C.1 Statement of Work

C.1.1 Outline: This Statement of Work (SOW) articulates the requirements for equipping the Iraqi Armed Forces and associated security forces.

C.1.1.1 Security: The contractor shall be responsible for all security and transportation requirements for the equipment and its personnel until the time of acceptance.

C.1.2 Manuals for items identified in sections C.2 to C.7 (Not Separately Priced): Each item of equipment required in C.2 to C.7 shall be delivered with two operator manuals, one in English and one in Arabic (appropriate to Iraq). Both manuals shall contain identical information.

C.1.3 The contractor and its subcontractors agree to be a source of supply for parts support for the expected life of all equipment provided hereunder. The contractor shall notify the customer if a part will become unavailable to support the hardware and provide the customer the opportunity to acquire the necessary technical data allowing for separate acquisition to support the equipment.

C.1.3.1 Item/Model Designations: Item and/or numbers designated by the Offeror/Contractor, as meeting the requirements of this Statement of Work are incorporated into this contract at Attachment III. The Contractor is required to provide the designated items and/or models, as modified to meet solicitation requirements. Nothing in this clause shall be construed as relieving the Offeror/Contractor from meeting all the requirements of this contract.

C.1.4 Warranty

C.1.4.1 Hand-Off Warranty: Hand-off will be when the items is transferred to the IAF. This is anticipated within 60 days of delivery to the Government. Notwithstanding inspection and acceptance by the US Government/Iraqi Armed Forces (IAF) and associated security forces of the end items and services provided under the contract, or any provision of this contract concerning the conclusiveness thereof, the Contractor hereby warrants that the vehicles conform to the performance and manufacturing requirements specifically delineated in this contract/specification and will conform to the performance requirements defined in this statement of work. Under this warranty, the Contractor shall be liable for the correction of all failures/defects from final acceptance of the equipment up to and including hand-off to the user (IAF and associated security forces). All labor to correct hand-off defects will be performed by the contractor.

C.1.4.2 Material and Workmanship Warranty: Notwithstanding inspection and acceptance by the US Government/IAF and associated security forces of the end items furnished under this contract, or any clause concerning the conclusiveness thereof, the Contractor warrants that the end items will be free from defects in material and workmanship and will conform to the requirements of this contract for the duration of 12 months/57,936 km from the date of Hand-Off as defined above. This warranty covers all contract items, parts and labor, except for accident damage, misuse, alterations, damage due to lack of maintenance or use of fluids/lubricants not recommended, and normal maintenance and scheduled service items such as filters, screens, fluids, windshield wipers, and brake shoes. In the event of a failure under this warranty, the contractor shall provide the necessary parts and labor to make repairs within 72 hours of notification, at an Iraqi location designated by the US Government/IAF and associated security forces.

C.1.4.3 Pass-Through Warranties: To the extent the Contractors suppliers normally provide a commercial or trade practices warranty, the Contractor shall pass the identical warranty to the IAF and associated security forces. The Contractor shall provide a list of the warranted parts and assemblies to the Procuring Contracting Officer (PCO) 30 days after contract award, with one copy to the US Government/IAF and associated security forces designated in-country representative. The pass-through warranty list shall contain the manufacturer's name, part or assembly nomenclature, manufacturer (vendor or subcontractor) part number, item cost, and the extent (coverage and duration) of the warranty. Actual copies of subcontractor/vendor warranties shall also be provided to the PCO, with one copy to the US Government/IAF and associated security forces designated in-country representative, no later than 60 days after contract award.

The Contractor shall be responsible for administering all pass-through warranties to the terms of the supplier warranty. Pass-through warranties will start at the time specified by the Contractors suppliers. All remedies which the Government may seek as the result of such pass-through warranties will be brought against the Contractor and the Contractor shall administer such remedies in accordance with the supplier warranty terms and conditions. The cost for the warranty will be included in the price of each item.

C.1.5 Systems Integration:

C.1.5.1 It is our intent that all the equipment purchased in C.2 through C.7 below function together as required by its usage. Therefore, it is the contractors responsibility to insure both the physical interface and seamless operation of the items. Also, water pods and fuel pods must be installed on their respective vehicle.

C.1.5.2 At the point of equipment hand-off, equipment that is shipped in pieces or requires assembly must be put into final

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 80 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

configuration and checked for function. For example, water pods and fuel pods must be installed on their prime movers and nozzles, spigots, etc., must be installed on pod. Radios must be installed in the vehicles and their functionality insured. Sighting equipment must be installed on weapons being supplied.

C.1.6 Maintenance: Regular maintenance for the items listed in this Statement of Work will be performed under a separate contract.

C.2 Vehicles and Rolling Stock: New Only - All vehicles within this Statement of Work are expected to operate 57,936 km per year. Within this statement of work there are three families of trucks: medium trucks, (see C.2.1 and C.2.4), heavy trucks (see C.2.2 and C.2.6), and a recovery vehicle (see C.2.7) Vehicles within the same family shall have the same chassis and powertrain. Within the family, different driveline configurations (i.e., 4x4, 6x6) are allowed.

C.2.1 Medium Wheeled Vehicle:

- a. The vehicle shall have all wheel drive.
- b. The vehicle shall be capable of operation on a variety of surfaces and terrains ranging from desert environment to hard surface streets. The vehicle shall be operable on these surfaces at all vehicle loading conditions.
- c. The vehicle shall be capable of operating in temperatures ranging from-23 C to +52 C.
- d. The vehicle shall be capable of ascending and descending grades of 40% in the longitudinal direction.
- e. The vehicle shall be capable of ascending a 5% grade at a minimum speed of 40 kph while towing a fully loaded trailer as specified in C.2.8.
- f. The vehicle shall be capable of traversing side slopes up to 30% with either side of the vehicle facing upslope.
- g. The vehicle shall have a minimum range of 450 km on internally carried fuel.
- h. The vehicle shall have a minimum speed of 95 kph in the highest gear and not less than 4 kph in the lowest gear.
- i. The vehicle shall be equipped with service brakes. The service brakes shall be capable of bringing the vehicle traveling at 32 kph to a complete stop within 10 meters. The service brakes shall meet this requirement at all conditions of loading on a hard, dry, level surface that is free of loose material.
- j. The vehicle shall have a manually operated park brake. The park brake shall be capable of holding the vehicle with a payload of 960 kg motionless on a 40% grade in the longitudinal direction The park brake shall be capable of holding the vehicle motionless with the vehicle facing in either the upgrade or downgrade direction.
- k. The vehicle will be used in urban environments and shall be equipped with headlights, front and rear turn signals, windshield wipers, brake lights and rearview mirrors.
- l. The vehicle shall be capable of carrying six soldiers (including the driver) equipped with ruck sacks, weapons (see section C.3/2000 series CLINS) and individual equipment. Seating arrangement shall be designed to provide individual seating locations for each of the six soldiers equipped with weapons and individual equipment. Space for the ruck sacks may be at the soldier seating location or in a separate storage area within the vehicle.
- m. The vehicle shall have a minimum payload capacity of 960 kg.
- n. The vehicle shall have a diesel engine.
- o. The vehicle shall be capable of being towed by the recovery vehicle specified in C.2.7 Recovery Vehicle.
- p. The vehicle shall have a 12 or 24 volt DC electrical power source. The power source shall be capable of providing electric power to support the base vehicle power requirements.
- q. The vehicle shall be provided with provisions to mount the radio system specified in C.4.2.
- r. The vehicle shall have a minimum of one 24 volt DC accessory outlet in the crew cab. The accessory outlet shall be designed to mate with the connector for the radio system specified in C.4.1, C.4.2, C.4.3, and C.4.6.
- s. The vehicle shall be Desert Tan in color.
- t. The vehicle shall be equipped with a winch. The winch and winch mount shall be capable of a minimum single line pull equal to the vehicle curb weight plus a payload of 960 kg. The winch cable shall be a minimum of 30 meters in length and have a safety factor of 50% over the maximum line pull capability of the winch.
- u. The vehicle shall be equipped with blackout lighting.
- v. Vehicle shall be equipped with a towing pintle. The vehicle at curb weight with 960 kg of cargo shall be capable of towing a fully loaded trailer as specified in C.2.8. The minimum pintle rating shall be equal to the weight of the fully loaded trailer as described in C.2.8. The vehicle shall have a connector to provide electric power to the trailer. The connector shall be compatible with the trailer specified in C.2.8.
- w. The crew seating area and the cargo area shall be enclosed from the elements.
- x. The vehicle shall be equipped with a full size spare tire, sand jack, pioneer tools (shovel, axe, pick minimum requirement) and tire changing equipment. The vehicle shall have a permanent storage location for these items.
- y. Reserved.
- z. The vehicle shall be equipped with all weather and all terrain radial tires. The tires shall be designed to operate both off road and on road.
- aa. The vehicle shall be equipped with two 20 liter Jerry cans. The Jerry cans shall be mounted on the rear of the vehicle. The mount configuration should not limit ingress or egress from the rear vehicle when the jerry cans are installed.
- ab. The vehicle shall be equipped with four lifting shackles, two in the front and two in the rear. The capacity of the shackles shall allow the vehicle to be lifted at a weight equivalent to the vehicles curb weight with a payload of 960 kg.
- ac. The vehicle shall be equipped with a minimum of 2.5 LB ABC Type Fire extinguisher with mounting bracket.
- ad. If equipped with ignition and door locks, all ignition and door locks shall be identically keyed for all vehicles.
- ae. The item shall be delivered with the routine maintenance spares listed in Attachment 6.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 81 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

C.2.2 Heavy Wheeled Vehicle:

- a. The vehicle shall have a diesel engine.
- b. The vehicle shall have all wheel drive.
- c. The vehicle shall have a cab type drivers compartment and a covered flat cargo bed with access through the rear. The cover shall be removable for the cargo bed. The crew seating area and the cargo area shall be enclosed from the elements.
- d. The electrical system shall be 24 volts DC. The vehicle shall have a minimum of one 24 volt DC accessory outlet in the crew cab. The accessory outlet shall be designed to mate with the connector for the radio system specified in C.4. The electrical system shall be compatible with the trailer electrical systems.
- e. The vehicle will be used in urban, cross country, and sand environments. The vehicle shall be equipped with operational and safety equipment to include head lights, blackout lights, turn signals, towing connections, windshield wipers, brake lights and rearview mirrors.
- f. The vehicle shall be equipped with a stowage box containing a wide base jack providing extra stability on loose sand. Other tools necessary to change a tire shall be included. Pioneer tools including minimum of a shovel, pick, and axe shall be included.
- g. A spare tire and wheel, identical to the vehicles other tires shall be mounted on the vehicle.
- h. The vehicle shall be capable of operating in a temperature range of -23 to 52 C.
- i. With rated load of 2560 kilos minimum, the vehicle shall be capable of a sustained high speed of 80 kph and not less than 4 kph in the lowest gear, on a level highway.
- j. With the rated payload of 2,560 kilos (min), the vehicle shall be operated without slipping or upsetting when ascending or descending longitudinal grades of 40% and when crossing side slopes of 20%.
- k. The truck shall be equipped with service brakes which shall bring the truck with a rated load to a stop from 32 Km/h within 10 meters. The road surface shall be paved, smooth, and level.
- l. A manually operated parking brake and chock blocks shall hold the truck with the rated payload on a 40% grade headed up or down grade with rated load.
- m. The color of the vehicle shall be desert tan.
- n. The vehicle shall be capable of carrying sixteen soldiers including their equipment for a total weight of 2560 kilos of cargo, and a driver and a passenger (320 kilos). The vehicle shall be equipped with bench seats along the cargo sides for the cargo area which fold down when additional cargo room is needed. Stake side racks shall be included for the cargo area.
- o. Radio mounts and electrical connection shall be provided in the cab compatible with radios specified in C.4.1 and C.4.2.
- p. Pintle shall be capable of safely towing full loaded trailers as described in C.2.5, C.2.9, and C.2.10.
- q. The vehicle shall be equipped with a minimum 10 LB ABC type fire extinguisher for ammo cargo and 5 LB ABC type fire extinguisher with mounting bracket for vehicle protection.
- r. The vehicle shall be equipped with safe lifting shackles positioned so that a lifting sling shall not damage the vehicle.
- s. Vehicle shall be equipped with a winch. The winch, winch mount and cable shall be capable of a minimum single line pull equal to the curb weight plus a payload 2560 kilos and shall have a safety factor of 50%. The winch cable shall be minimum of 30 meters in length.
- t. Wheel chocks shall be provided to be used when operating winch.
- u. Vehicle shall be equipped with all weather and all terrain radial tires. The tires shall be designed to operate both off and on road.
- v. Bow and tarp kit providing an enclosure height of 1.52 meters above cargo floor is required over cargo area. Sides of the tarp should be removable or capable of being rolled up to allow quick entry and exit.
- w. If equipped with ignition and door locks, all ignition and door locks shall be identically keyed for all vehicles.
- x. The vehicle shall be equipped with two 20 liter Jerry cans. The Jerry cans shall be mounted on the rear of the vehicle. The mount configuration should not limit ingress or egress from the rear vehicle when the jerry cans are installed.
- y. The item shall be delivered with the routine maintenance spares listed in Attachment 6.

C.2.3 Motorcycle:

- a. System Definition. The vehicle is a lightweight, all terrain vehicle capable of operating on primary roads, unpaved roads and on cross-country terrain. All parts of the vehicles shall be of such material and strength as to properly sustain as a minimum the payloads stated herein. This vehicle is a Non-Developmental Item (NDI) which will be either of commercial or military design.
- b. Range. The vehicle at Gross Vehicle Weight (GVW) shall be capable of operating on internally carried fuel for a minimum distance of 200 km at an average speed of 40 kilometers per hour (kmh) on Secondary road.
- c. Speed. The vehicle at GVW shall be capable of maintaining a minimum speed of 81 kmh while ascending a slope of up to five (5) percent on a smooth, dry and hard surfaced road, for not less than 3 km and 40 kmh over a Secondary road for no less than 16 km without any malfunction of any component that may cause vehicle failure. The vehicle shall also be capable of maintaining a speed of not more than 8 kmh on a smooth, dry and hard surface road with the transmission in low speed range for not less than .4 km without any malfunction of any component that may cause vehicle failure.
- d. Acceleration. The vehicle at GVW shall be capable of acceleration from 0 to 50 kmh in no more than 6.0 seconds on a smooth, dry and hard surfaced road ascending a slope of up to five (5) percent.
- e. Gradeability. From a standing start at the base of the slope with the front wheel adjacent to the slope, the vehicle at GVW shall ascend a smooth, dry, and hard-surfaced 60 percent continuous slope of 24.7 meters in length. The vehicle shall evidence no

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 82 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

- fluid leakage, engine stalling/rough running or tire or chain slippage.
- f. Brakes. The vehicle shall be equipped with front and rear brakes. The vehicle brakes shall meet the standard commercial performance requirements. The brakes shall control and hold the vehicle on a 60 percent up-slope and down-slope.
 - g. Side Slope. The vehicle at GVW shall function and be stable while on side slopes up to 40 percent, with each side of the vehicle up-slope, at speeds up to 8 kmh while traveling in a sine wave pattern. As a result of the operation, no evidence of instability, fluid leakage or other-malfunction shall be found. The slope surface shall be smooth, dry and hard.
 - h. Vertical Step. The vehicle at GVW shall be capable of negotiating an 18 cm vertical step.
 - i. Emergency Operation. The vehicle shall be able to carry two individuals (operator and passenger) for 8 km at a minimum average speed of 16 kmh on a Secondary road without any damage to the vehicle. The operator and passenger weight shall be 181.5 kg (+/- 2.26 kg).
 - j. Gross Vehicle Weight. The vehicle weight with a payload of 113.4 kg shall not exceed the commercially rated Gross Vehicle Weight.
 - k. Finished Surfaces. The vehicle shall be furnished painted Desert Tan. Surfaces on the engine exhaust head pipe and cooling fins of an engine that are used for heat transfer shall be painted with a black lusterless heat resistant paint.
 - l. Climate Conditions. The vehicle shall be capable of operating under the range of climatic conditions from -23 degrees centigrade to + 52 degrees centigrade.
 - m. System Safety Requirements. The vehicle shall be free of sharp projections and/or edges that may cause operator injury. Drive train chains, sprockets and other open componentry shall be located or shielded to prevent operator injury or snagging of clothing. Hot engine components and exhaust pipe shall be sufficiently shielded to prevent operator contact during operation of the vehicle. The fuel and exhaust systems shall be configured to prevent contact of leaking fuel with exhaust components.
 - n. Engine. The engine shall be not less than 250 cubic centimeters (cc), displacement or larger than 400 cc displacement. The engine shall operate efficiently using standard fuels and lubricants without mixing.
 - o. Fuel Tank. The fuel tank shall have a vented, leak-proof gas cap.
 - p. Air Cleaner System. The vehicle shall be equipped with an air cleaner that is located to prevent damage to the filter element.
 - q. Reserved.
 - r. Exhaust System. Vehicle exhaust system shall be located to prevent burning, charring or damaging the electrical wiring, the fuel system or any other combustible part of the vehicle. The exhaust shall discharge at the rear of the vehicle.
 - s. Start system. Vehicle shall have a manual and electric kick start capability.
 - t. Rim, Tires and Tubes. Heavy duty safety rims and either tube-less or tube-type tires with on/off road tread. Inner tubes if provided shall be heavy-duty type and provided with flaps
 - u. Skid Plate. Vehicle shall be equipped with a skid plate(s) that protects the engine and lower frame during off-road operation and not accumulate debris or mud.
 - v. Ignition Lock. If equipped, all ignition locks on all vehicles delivered under the contract shall be identically keyed and shall allow for any one key to operate any ignition lock.
 - w. All vehicles shall be equipped with right and left, shock mounted rearview mirrors, a seat that is capable of accommodating an operator and a passenger, speedometer, front, rear, left, and right shock mounted turn signals, 12 volt heavy duty combination tail light/brake light and headlight with high and low beams . Lamps shall be vibration resistant heavy duty type.
 - x. Tools. A tool kit shall be provided with the vehicle. The tool kit shall be carried in a tool container that is permanently affixed to the vehicle in such a way that it does not interfere with the driver and operation of the vehicle. The tool container shall contain enough space to carry the tool kit; operators manual. If equipped with a lock all shall be keyed the same. The tool kit shall allow the performance of required operator maintenance.
 - y. Vehicle Support. The vehicle shall be equipped with either a side or center support device capable of supporting the motorcycle GVW.
 - z. Auxiliary Equipment. The vehicle shall be equipped with the required auxiliary equipment. The vehicle configuration shall permit mounting/storage/interface of the equipment without adverse effect on vehicle handling, operation and maintenance characteristics of the basic motorcycle. Removal of the equipment from the vehicle shall not impair the equipment or basic function of the vehicle. The auxiliary equipment identified to further enhance the military motorcycle capabilities are as follows:

- (1) A rifle scabbard capable of retaining an AK47 (or AKM).
- (2) Detachable document carrying case capable of protection of contents.
- (3) A full face helmet, size medium, color - Desert Tan.

aa. The item shall be delivered with the routine maintenance spares listed in Attachment 6.

C.2.4 Ambulance Vehicle:

- a. This is the ambulance vehicle for the medical section. This vehicle shall be a standard ambulance variant of the medium utility vehicle.
- b. The vehicle shall meet all the requirements specified for the Medium Wheeled Vehicle specified in Section C.2.1 except a winch is not required and the following is required:
- c. The vehicle shall have a enclosed compartment dedicated to transporting and treating patients.
- d. The patient compartment shall be capable of carrying a minimum of two patients on stretchers or a minimum of four ambulatory patients and their rucksacks, weapons (see section C.3/2000 series CLINs), and individual equipment.
- e. The patient compartment shall also provide sufficient area for a medic to treat the patients when transporting a minimum

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181MOD/AMD	Page 83 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

two patients on stretchers or four ambulatory patients and their rucksacks, weapons (see section C.3/2000 series CLINs), and individual equipment.

f. The patient compartment shall be equipped with a means to secure a minimum of two stretchers with patient to prevent the patients from falling out of the stretcher while the vehicle is in operation.

g. The patient compartment shall be equipped with a minimum of two stretchers, 2 backboards, 4 IV hooks, and an EMT first aid kit containing:

- (1) 20 - approximately 1 inch x 3 inch adhesive bandages
- (2) 4 - triangular sling/bandage
- (3) 2 - approximately 4 inch x 4.1 yard gauze roll bandages
- (4) 1 - approximately 6 inch x 4.1 yard gauze roll bandage
- (5) 2 - approximately 3 inch x 5 yard latex free elastic bandages
- (6) 10 - approximately 2 inch x 2 inch gauze dressing pads
- (7) 10 - approximately 3 inch x 3 inch gauze dressing pads
- (8) 10 - approximately 4 inch x 4 inch gauze dressing pads
- (9) 1 - approximately 12 inch x 30 inch multi-trauma dressing
- (10) 2 - approximately 8 inch x 10 inch trauma pad
- (11) 3 - approximately 5 inch x 9 inch trauma pad
- (12) 12 - Antiseptic cleansing wipes
- (13) 12 - single use triple antibiotic ointment packets
- (14) 1 - approximately 1 inch x 10 yard waterproof medical tape
- (15) 1 - approximately 3 inch 10 yard porous cloth athletic tape
- (16) 1 - approximately 4 inch x 5 inch instant cold compress
- (17) 2 - approximately 6 inch x 9 inch instant cold compress
- (18) 1 - approximately 7 inch utility shears
- (19) 1 - approximately 3 inch tweezers - stainless steel
- (20) 8 - exam quality gloves (4 pairs)

h. The Red Crescent insignia shall be on both sides, front, rear, and top of the vehicle. The insignia shall be the largest size that can be placed on these surfaces with a maximum size requirement of 1 meter x 1 meter square.

i. The patient compartment shall have internal lighting for treating patients.

j. The patient compartment shall have natural ventilation and/or air conditioning.

k. The ambulance shall include a means of communication between the cab area and patient compartment.

l. An oxygen system shall be included with a minimum 1,200 liter capacity. The system shall be capable of delivering 15 liters per minute to two patients simultaneously.

m. The item shall be delivered with the routine maintenance spares listed in Attachment 6.

C.2.5 Water Trailer

a. Towed water trailer that will carry potable water for the Military.

b. The trailer shall be capable of off-road movement in a desert environment, weather & terrain conditions found in the nation of Iraq, 52 degrees C, -23 degrees C, ambient.

c. Shall have a brake system connectable & compatible to heavy wheeled vehicle.

d. Shall have a retractable trailer stand to tilt the trailer up & down.

e. Shall be capable of carrying 2,000 liters of potable water in the tank. The tank shall have a removable top cover for filling and cleaning.

f. The materials used in the construction or treatment of surfaces which may come in contact with potable water during use shall have no adverse effect on the health of personnel. Materials used shall be non-toxic, non-absorbent, resistant to cleaning with bactericidal solutions, and shall not contaminate the water. Parts, fittings, and piping in contact with the water shall be of corrosion resistant material not affecting the potability.

g. The water trailer will be compatible with and be capable of being towed by C.2.2, heavy wheeled vehicle. This includes wiring connections for brake lights and turn signals, as well as the towing connections. The trailer shall be equipped with turn signals and brake lights.

h. The water tank shall have two spigots and a drain for purging and cleaning the water tanks.

i. The two spigots will be male threaded to receive a garden hose.

j. The tank and trailer shall be desert tan in color.

k. The water trailer shall have radial on/off road tires.

l. The item shall be delivered with the routine maintenance spares listed in Attachment 6.

C.2.6 Refueling Vehicle/Tanker:

a. The refueling vehicle shall consist of the heavy wheeled vehicle (in C.2.2), with the exception of the following requirements: capacity to carry sixteen soldiers, and Bow and Tarp kit. It shall have a refueling pod. The vehicle shall carry a driver/co-driver and their equipment (320 kilos) The refueling pods dimensions will fit on the bed of this heavy wheeled vehicle and be compatible with it.

b. The refueling pod will have a capacity of not less than 3,000 liters.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181MOD/AMD	Page 84 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

- c. Reserved.
- d. The refueling pod will be unpressurized and have two fast flow rate refueling lines, one on each rear side of the refueling pod.
- e. These two lines will allow simultaneous refuel of two vehicles, one on each side of the tanker. The fuel pod will be gravity fed as well as have a fuel pump.
- f. There will be a minimum 20 lb Fire Extinguisher with mounting bracket for fuel cargo. protection and a 5 lb. Fire Extinguisher with mounting bracket for vehicle.
- g. A grounding line for refueling operation shall be provided.
- h. All materials that come in contact with diesel fuel shall be compatible with diesel fuel.
- i. The refueling pod shall be fabricated from compatible materials, inherently corrosion resistant or treated to provide protection against the various forms of corrosion and deterioration that may be encountered in any of the applicable operating and storage environments to which the refueling pod may be exposed.
- j. The refueling pod shall perform in any ambient temperature from -23 deg. Celsius to 52 deg. Celsius.
- k. All shafts or rotating parts of the refueling pod shall be guarded when such parts are exposed to contact by personnel or otherwise create a hazard. Electrical wiring and equipment shall be located or protected to prevent damage from fuel spills or overflows. Electrical equipment shall be effectively guarded and grounded to protect all persons and objects from electrical shock hazard.
- l. The refueling pod shall be transportable without evidence of malfunction, permanent deformation, or damage to the tank, pump, or components when operated Over hard-surfaced roads, gravel roads, and cross-country terrain.
- m. The refueling pod shall withstand the effects of emergency stops at forward speeds up to convoy speeds and at reverse speeds up to 16Km/h without permanent deformation, failure, or damage to the mounting or securing systems and without malfunction or damage to the refueling pods, or failure to operate at rated capacity.
- n. The refueling pod must have four lift points for removal from the vehicle. These attachments must be included with the refueling pod.
- o. The tank shall be equipped with a self priming pump.
 - The pump unit assembly shall withstand a hydrostatic pressure of not less than 344.5KPa without leakage through any component or connection. The contractor shall self-certify to this.
 - The complete pumping assembly, as assembled prior to shipment, shall be subjected to an air pressure test of not less than 69KPa without leakage through any component or connections. The contractor shall self certify to this.
 - The pump unit assembly shall have a continuous electrical circuit between the nozzle bonding wire and the ground wire bonding clip.
- p. If a PTO driven fuel pump is used an electric motor is not required. Is supplied, the electric motor assembly complete with all receptacles and connectors shall be explosion proof. The electric motor assembly complete with all receptacles and connectors shall be splash proof.
- g. The filter separator assembly should be included to provide fuel free of contaminants when necessary.
- r. External surfaces shall be painted desert tan color.
- s. The item shall be delivered with the routine maintenance spares listed in Attachment 6.

- C.2.7 Recovery Vehicle: This is the recovery vehicle for the motorized rolling stock of the battalion.
- a. The vehicle shall be capable of recovery/evacuation of any fully loaded vehicle/trailer identified in this Statement of Work across the desert environment (-23 to +52 degrees C) with a two soldier crew through the use of tools and onboard equipment (i.e., tow bar, chock blocks, ground anchors, pulleys, winches, etc.)
 - b. The vehicle shall be equipped with provisions for attachment of ground chocks (spades) at the rear of the vehicle, both in the longitudinal and transverse direction.
 - c. The vehicle shall be equipped with a boom and winch capable of lift towing all vehicles and rolling stock in this statement of work. The winch shall have a braking system for lowering and raising the load. The boom and winch shall be capable of operation without the removal of other vehicle components/assemblies. Alternate lifting devices/configurations are acceptable.
 - d. The vehicle shall be equipped with a shelter/tent extension for weather protection for the operator of the crane controls. The shelter/tent extension shall be desert tan in color.
 - e. The vehicle shall be equipped with tools, equipment and (vehicle powered) accessories including, but not limited to, the following items:
 - Air Compressor
 - Air powered tool set to include impact driver, grinder
 - Mounted vise
 - Floor jack, sand jack, air jack and airbag jack
 - Oxy acetylene cutting equipment
 - All towing/lift accessories to be included.
 - Tow bar, chock blocks, ground anchors, pulleys, winches, etc. Towbars shall be compatible with the other vehicles.
 - Each recovery vehicle will contain a comprehensive mechanics tool box. This tool set must have both metric and standard tools. It should be equivalent or better than the Sears Craftsman 546 piece tool set #: 00933446000 and include a carrying case(s).
 - f. The vehicle shall be equipped with a heavy duty recovery winch. The end of the wire rope shall be equipped with a clevis. When in the stowed position, the free end of the heavy-duty winch clevis shall not be permitted to strike or cause damage to any vehicle component. A means for securing the clevis when in the stowed position shall be provided.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181MOD/AMD	Page 85 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

- g. The heavy duty recovery winch shall be operated by controls mounted on one side of vehicle. The heavy duty recovery winch shall have a minimum capacity of 12000-kg.
- h. The vehicle shall also be equipped with a winch for self recovery. The self recovery winch shall have a minimum capacity of 6800-kg.
- i. The vehicle shall be equipped with a spare wheel and tire assembly. The vehicle shall be equipped with sufficient tools and equipment, to facilitate tire/wheel removal on the assembly on both hard and soft surfaces.
- j. The vehicle shall be equipped with a minimum 5 LB ABC type fire extinguisher mounted within the cab interior and shall be detachable to allow removal from the cab.
- k. The vehicle shall be equipped with a minimum 10 LB ABC type fire extinguisher for cargo protection and shall be mounted on the exterior of the truck. Mounting shall be installed so that the extinguisher is easily accessible to the operator.
- l. The vehicle shall be equipped with blocks and tackle and possess an articulated crane capable of lifting approximately 2,500 to 3,000 kilos.
- m. The crane shall be provided with an overload shutdown, which shall preclude structurally overloading the crane. The crane's function shall cease when the crane's capacity is exceeded, except to allow lowering of the overload.
- n. The vehicle shall be equipped with appropriate extensions/stabilizers to safely support the vehicle and lifted cargo during lift operations.
- o. The vehicle shall be capable of carrying cargo and supplies.
- p. The vehicle shall be painted Desert Tan in color.
- q. If equipped with ignition and door locks, all ignition and door locks shall be identically keyed for all vehicles.
- s. The item shall be delivered with the routine maintenance spares listed in Attachment 6.

C.2.8 Cargo Trailer

- a. Identifies the performance and definition requirements for a 500 to 700 kilo payload Cargo Trailer. This cargo trailer is for use in desert conditions, (terrain, weather and temperature, (-23 to +52 degrees C.), on and off road,) such are found in the nation of Iraq.
- b. The trailer must be compatible with, and be capable of being towed by, the Medium Wheeled Vehicle identified in C.2.1. This includes towing connections, brakes, and 24 volt wiring connections for brake lights and turn signals. The trailer shall be equipped with turn signals and brake lights.
- c. The trailer shall have a rectangular cubic cargo space unobstructed by wheel wells or other objects.
- d. Minimum unobstructed dimensions: Height: 1.52 meters, Length: 2.44 meters, and width of 1.52 meters
- e. Trailer will have a soft removable cover that, when secure in the traveling configuration, (i.e., allowing enclosure of cargo while traveling), will still allow the minimum dimensions cited in item d above.
- f. Mount a minimum 10 pound ABC type fire extinguisher for cargo protection.
- g. The cargo trailer shall be desert tan in color.
- h. If equipped, service brakes shall be compatible with the towing vehicle.
- i. Safety chains connected to safety brake levers shall be attached when the trailer is connected to the towing vehicle.
- j. The trailer shall have a retractable landing leg to support the front of the trailer when not connected to the towing vehicle.
- k. Tires, including the spare tire, shall be radial in type and compatible with the towing vehicle. All tires shall be the same size and load rating. One spare tire assembly shall be furnished and stored securely on the trailer. The trailer shall be equipped with a stowage box and tools for changing the wheel and tire assembly (jack, lug wrench, and strong arm bar). Box shall be designed to restrict entry of water and the tools shall be secured in place.
- l. The item shall be delivered with the routine maintenance spares listed in Attachment 6.

C.2.9 Large Cargo Trailer

This is to be a towed trailer that will carry cargo and equipment and be towed by the vehicle identified in Section C.2.2.

- a. The trailer shall be capable of off-road movement in a desert environment (weather and terrain conditions found in the nation of Iraq (-23 to +52 degrees C.)).
- b. The trailer shall be equipped with service brakes. The combined prime mover and trailer service brakes shall control and hold the vehicle combination on a dry hard surfaced 40 % grade when ascending and descending grade.
- c. The trailer shall be equipped with manually activated parking brakes. The parking brakes shall hold the trailer with full payload on dry, hard, smooth surfaced road on a 40 % grade while uncoupled from the towing vehicle when ascending and descending grade.
- d. The trailer brake system shall include emergency brakes with incorporates an emergency break away feature. This feature shall apply emergency brakes when separated from the prime mover. When activated the brakes shall be sufficient to hold the fully loaded trailer on a dry, hard, smooth surfaced road on a 40% grade when ascending and descending grade.
- e. The trailer shall be capable of traversing side slopes up to 20% with either side of the trailer facing upslope.
- f. The trailer shall be equipped with safety chains attached to be used when the trailer is connected to the prime mover.
- g. A minimum 10 LB ABC type fire extinguisher shall be mounted on the exterior of the trailer. Mounting shall be installed so that the extinguisher is easily accessible to the operator.
- h. The vehicle shall be capable of carrying a minimum of 2,000 kilos.
- i. The vehicle shall have a rectangular cubic cargo space unobstructed by wheel wells or other objects. Minimum

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 86 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

- unobstructed height, length and width shall be 1.52 meters, 2.73 meters, and 1.52 meters.
- j. The trailer shall be equipped with a soft removable cover that when secured in the traveling configuration (i.e. allowing enclosure of cargo while traveling), will still allow the minimum dimensions cited previously.
 - k. The trailer shall be equipped with one spare wheel and tire assembly stored securely on the trailer. The spare wheel and tire assembly shall be the same size and load rating as the tires furnished on the trailer. Tools for changing the wheel and tire assembly shall be stored on the trailer. All tires shall be radial construction.
 - l. The trailer shall have suitable cargo tiedowns/rachet points to safely secure pallets and other payloads during all modes of operation.
 - m. The trailer shall be equipped with a landing gear that shall be adjustable within the necessary range for potential towing vehicles.
 - n. The trailer shall be compatible with and be capable of being towed by the heavy wheeled vehicle and the recovery vehicle. This includes wiring connections for brake lights and turn signals as well as towing connections. The trailer shall be equipped with turn signals and brake lights.
 - o. The trailer shall be painted Desert Tan in color.
 - p. The item shall be delivered with the routine maintenance spares listed in Attachment 6.

C.2.10 Kitchen Trailer:

- a. This Kitchen Trailer shall carry and prepare perishable and non-perishable food and food preparation products for the Battalion. Trailer shall be towed by the Heavy Wheeled Vehicle, Section C.2.2).
- b. The maximum weight of the trailer when empty will not exceed 2700 kilos. The trailer will have a minimum payload capacity of 2270 kilos. Kitchen Trailer shall be able to support mess operations for 200 personnel per meal.
- c. Mobility. The kitchen trailer shall be capable of on-road and off-road movement in a desert environment (weather and terrain conditions found in the nation of Iraq).
- d. Electrical. The electrical system shall be a 24-volt DC system and shall be compatible with the prime mover, Section 2.2). The Trailers exterior lighting shall be compatible with prime mover headlights, taillights, turn signals, and towing connections.
- e. 5KW Generator. 5kW Diesel Generator shall me mounted on the trailer. The output of generator shall be 120 Volt and 240 Volt. Kitchen equipment shall be compatible to operate by 240 volt power output from 5KW Diesel Generator.
- f. Safety Chain. The trailer shall have safety chains attached to be used when the trailer is connected to the prime mover.
- g. Tires: The Trailer shall be equipped with all weather and all terrain radial tires. The shall be designed to operate on both off-road and on-road.
- h. Stowage Box. The trailer chassis shall be equipped with a stowage box to store full size spare wheel & tire assembly, sand jack and tools to change tire.
- i. Lunette. The chassis trailer shall be equipped with an adjustable lunette. The lunette shall be adjustable to compatible with prime mover.
- j. Leveling Jacks. The chassis trailer shall be equipped with four manually operated leveling jacks, located at the corners that shall raise and support the fully loaded trailer and shall adjust to permit placing the jack bases on the ground and leveling the trailer on an off-road site. The required force for operating the leveling jacks shall be not more than 16 kilos.
- k. Environmental. The trailer shall operate under extreme conditions of weather in ambient temperatures ranging from -23 C to +52 C.
- l. Service Brake. Kitchen Trailer shall be equipped with service brakes. The combined prime mover and trailer service brakes shall control and hold the vehicle combination on a dry hard surfaced 30% grade when headed up or down slope.
- m. Parking Brake. Manually activated parking brake shall hold the trailer with full payload on dry, hard, smooth surfaced road on a 30% grade while uncoupled from the towing vehicle and headed up or down grade.
- n. Emergency Brake. The trailer brake system shall include an emergency break away feature. This feature shall apply emergency brakes when the air supply from the prime mover ceases. When activated the brakes shall be sufficient to hold the fully loaded trailer on a dry, hard, smooth surfaced road on a 30% grade while headed up or down grade.
- o. Protective Finish. The color shall be desert Tan.
- p. Stoves and Sinks. Stoves shall be capable of operation on multi-fuels. Number of stoves should be sufficient to prepare food for 200 personnel per meal. Sink shall be easily connected to outside water supply line.
- q. Refrigerator. Refrigerator shall be capable of operating by external 240 volt power supply or by internal 5KW generator. It shall be capable of maintaining perishable food.
- r. Food Shelves. Trailer shall be equipped with storage space (shelves) to store perishable and non-perishable food, cooking equipment, and fuel cans.
- s. Fire Extinguishers. Trailer shall be equipped with minimum 10 LB ABC type Fire Extinguisher for cargo and 5 LB CO2 type Fire Extinguisher for kitchen protection.
- t. Exhaust and Ventilation. Trailer shall be equipped with proper Exhaust and Ventilation equipment.
- u. The item shall be delivered with the routine maintenance spares listed in Attachment 6.

C.2.11. 2.5 KW Diesel Generators: These portable generators can be carried in the back of a truck.

- Scope: This general performance description provides the requirements for 2.5 KW Generator operated by diesel engine. The generator shall be portable and carried in the back of a truck.
- a. The generator shall be operated by diesel fuel.

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-D-0181 MOD/AMD</p>	<p style="text-align: right;">Page 87 of 113</p>
--------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

- b. The generator shall be capable to operate under temperature ranges -23 C to 52 C.
- c. The generator connection shall provide 230 Volts at 50 Hz
- d. The color shall be desert Tan.
- e. The item shall be delivered with the routine maintenance spares listed in Attachment 6.

C.2.12 Color of Items in Section C.2: Unless otherwise stated, the exterior color of all C.2 items is to be the same shade of Desert Tan.

C.3 Weapons - New Only

C.3.1 9mm Combat Hand Gun: This will be the standard sidearm of the Battalion.

- a. Double action weapon
- b. Weapon similar to NATO 9mm and will fire 9 x 19mm (9mm Lugar) round.
- c. Only new weapons will be considered.
- d. Delivered with five large capacity magazines (minimum 13 to 15 rounds per magazine) and lanyard per weapon.
- e. Each delivered with one cleaning kit (includes CLP bottle and bore brush) and six months worth of expendable cleaning elements.
- f. Delivered with an appropriate one year stockage of routine maintenance spares listed in Attachment 6.
- g. Reserved.
- h. Delivered with 750 rounds of ammunition per the weapons quantity.

C.3.2 AK-47 (or AKM): This will be the standard individual weapon of the Battalion. Because of the immense number of government and commercial sources, delivered weapons must be from the same manufacturer to ensure commonality.

- a. Only new weapons will be considered.
- b. Weapon will use the 7.62mm x 39 Caliber cartridge.
- c. Weapon will have a folding stock to reduce its overall length. The stock may fold in any direction as long as it is compatible with other attached equipment such as night vision/scopes, etc.
- d. Delivered with 7 magazines (minimum 30 rounds each) per weapon.
- e. Delivered with one blank firing adapter for each
- f. Delivered with an appropriate one year stockage of routine maintenance spares listed in Attachment 6.
- g. Reserved.
- h. Delivered with 2,000 rounds of ammunition per the weapons quantity.
- i. Delivered with 2,000 rounds of blank/training ammunition per the weapons.
- j. Each delivered with one cleaning kit (includes CLP bottle and bore brush) and six months worth of expendable cleaning elements per the weapons quantity.

C.3.3 PKM/PKMS Heavy Machine Gun: This will be the standard crew-served, sustained fire machine gun of the Battalion.

- a. Because of the immense number of government and commercial sources, delivered weapons must be from the same manufacturer to ensure commonality.
- b. Only new weapons will be considered.
- c. Weapon will use the 7.62mm x 54 Caliber cartridge.
- d. Delivered with one blank firing adapter for each
- e. Weapon will have a foldable bipod.
- f. Delivered with an appropriate one year stockage of routine maintenance spares listed in Attachment 6.
- g. Reserved.
- h. Delivered with 4,000 rounds of ammunition per the weapons quantity. The ammunition will be delivered with non-disintegrating re-usable linked belts. The ammunition and the belt links can be delivered in separate packages. Sixteen (16) belts in lengths of 250 rounds will be delivered.
- i. Delivered with 2,000 rounds of training (blanks) ammunition per the weapons quantity.
- j. Each delivered with one cleaning kit (includes CLP bottle and bore brush) and six months worth of expendable cleaning elements per the weapons quantity.
- k. Each weapon shall be delivered with a tripod and mount.
- l. Belt fed.

C.3.4 RPK Light Machine Gun: This will be the standard squad automatic weapon of the Battalion.

- a. Because of the immense number of government and commercial sources, delivered weapons must be from the same manufacturer to ensure commonality.
- b. Only new weapons will be considered.
- c. Weapon will use the 7.62mm x 39 Caliber cartridge.
- d. Delivered with one blank firing adapter for each
- e. Weapon will have a detachable foldable bipod.
- f. Delivered with an appropriate one year stockage of routine maintenance spares listed in Attachment 6.
- g. Delivered with 7 magazines (minimum 40 rounds each) per weapon.
- h. Delivered with 4,000 rounds of ammunition per the weapons quantity.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 88 of 113
--------------------	--------------------------------------------------------------------------------------------	----------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

- i. Delivered with 2,000 rounds of training (blanks) ammunition per the weapons quantity.
- j. Each delivered with one cleaning kit (includes CLP bottle and bore brush) and six months worth of expendable cleaning elements per the weapons quantity.

C.3.5 Armorer Kits: Six each of the armorer kits listed below will be supplied per battalion set of equipment.

- a. The basic armor's kit will consist (as a minimum) of the components listed in Attachment 5.
- b. The supplemental armor's kit will consist of all the special tools required to maintain the weapons offered by an armorer at the unit level. This list of tools may vary by offeror since some latitude is allowed as to weapons offered.

C.4 Communications Equipment

All communications equipment must be certified to be fully interoperable with existing IAF communications equipment. Government verification will take place after contract award. The Government will not accept any communications equipment until interoperability with current IAF equipment has been verified. The existing IAF communications equipment is listed in the subparagraphs of this section of the SOW.

Current IAF radios incorporate the Transcript 460 chip as Level 3 encryption.

Note that System Integration requirements shown in C.1.5 apply to radios mounted in the vehicles specified in this solicitation.

C.4.1 Short Range Radio:

Existing IAF Radio: Motorola GP680 (403-470MHz) Portable,16 Channels MDH25RDH9CK6_E. You do not have to supply this radio, but the radio you supply must be compatible with it in both standard and encrypted mode. All communications equipment must be certified to be fully interoperable with existing IAF communications equipment. Current IAF radios incorporate the Transcript 460 chip as Level 3 encryption. Transcript 460 chip shall be installed to meet the encryption requirement.

This will be the primary means of short range radio communication within the battalion.

Environmental Requirements:

Vibration - MIL-STD-810C/D/E
Shock - MIL-STD-810C/D/E
Rain - MIL-STD-810C/D/E
Dust - MIL-STD-810C/D/E
Operating temperature minus 10 degrees C to plus 60 degrees C

Operational Requirements:

Narrow band operating in the 410 - 430 MHz bandwidth
Multi-channel radio with key pad
Transmission range between handheld radios between 50m and 10km using standard antenna-set. Antenna height not more than 2m when extended while attached to the radio
Extend range of voice communications from 10km to 20km with use of antenna relay-set. Antenna height not more than 5m when deployed
Transcript 460 chip shall be installed to meet the encryption requirement

Power Source:

Powered by disposable or rechargeable batteries that sustain continuous operation for a period not less than 8 hours
Powered from 24v accessory power receptacles in equipment cited in sections C.2.1, C.2.2, C.2.4, C.2.6, and C.2.7)
An adapter kit is not required
Radio programming service is not required

Transportability:

Man-portable or handheld with weight less than 15kg.
Able to be powered from vehicle-mounted equipment receptacle and operate while mobile (adaptable to accessory power receptacles in equipment cited in sections C.2.1, C.2.2, C.2.4, C.2.6 and C.2.7)

Support Equipment:

Additional rechargeable batteries

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 89 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

Battery chargers for rechargeable batteries
Spare parts kits (additional antennas)
Dust covers

Training (see C.8):

Provide operational and routine maintenance (replacing batteries) training to battalion personnel
Demonstrate proper care and handling procedures

C.4.2 Long Range Radio:

Existing IAF Radio: Motorola GM660 Mobile Radio (403-470 MHz), 1-25W Output Power, 16 channel MDM25RHF9CK5_E.You do not have to supply this radio, but the radio you supply must be compatible with it in both standard and encrypted mode. All communications equipment must be certified to be fully interoperable with existing IAF communications equipment. Current IAF radios incorporate the Transcript 460 chip as Level 3 encryption. Transcript 460 chip shall be installed to meet the encryption requirement.

This will be the primary means of long range radio communication within the battalion.
Environmental Requirements:

Vibration - MIL-STD-810C/D/E
Shock - MIL-STD-810C/D/E
Rain - MIL-STD-810C/D/E
Dust - MIL-STD-810C/D/E
Operating temperature minus 10 degrees C to plus 60 degrees C

Operational Requirements:

Narrow band operating in the 410 - 430 MHz bandwidth
Multi-channel radio with key pad
Transmission range between 50m and 20km using standard antenna-set. Antenna height not more than 2m when extended while attached to the radio

Extend range of voice communications from 20km to 30km with use of antenna relay-set. Antenna height not more than 5m when deployed
Transcript 460 chip shall be installed to meet the encryption requirement

Power Source:

Powered from 24v accessory power receptacles in equipment cited in sections C.2.1, C.2.2, C.2.4, C.2.6, and C.2.7)
Powered directly from AC power supply

Transportability: No Requirement

Support Equipment:

Vehicle Antenna
Spare parts kits
Vehicle mounting kits
AC power supply

Training (see C.8):

Provide operational and routine maintenance (replacing batteries) training to battalion personnel
Demonstrate proper care and handling procedures

C.4.3. Radio Repeater:

Existing IAF Radio: 2ea Motorola GM360 Mobile Radio (403-470 MHz), 1-25W Output Power, 255 channel - MDM25RHF9AN5. You do not have to supply this radio, but the radio you supply must be compatible with it in both standard and encrypted mode. All communications equipment must be certified to be fully interoperable with existing IAF communications equipment. Current IAF radios incorporate the Transcript 460 chip as Level 3 encryption.

This radio repeater will allow retransmission of radio broadcasts in both standard and encrypted mode by equipment identified in sections C.4.1 and C.4.2 of this SOW. Repeaters will be supplied in both fixed and mobile configurations.

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 90 of 113
	PIIN/SIIN W56HZV-04-D-0181	MOD/AMD	
Name of Offeror or Contractor: ANHAM JOINT VENTURE			

Environmental Requirements:

Vibration - MIL-STD-810C/D/E
Shock - MIL-STD-810C/D/E
Rain - MIL-STD-810C/D/E
Dust - MIL-STD-810C/D/E
Operating temperature minus 10 degrees C to plus 60 degrees C

Operational Requirements:

Multi-channel Narrow band operating in the 410 - 430 MHz bandwidth
Compatible with radios cited in C.4.1 and C.4.2
Retransmission of voice communications from 15km to 30km

Power Source:

Powered from vehicle internal electrical system (adaptable to 24v accessory power receptacles in equipment cited in sections C.2.1, C.2.2, C.2.4, C.2.6 and C.2.7) and must also be capable of being powered by an AC generator.

Transportability:

Able to be installed in vehicle-mounted equipment receptacle and operate while mobile (adaptable to accessory power receptacles in equipment cited in sections C.2.1, C.2.2, C.2.4, C.2.6 and C.2.7) and able to be operated as a fixed repeater.

Support Equipment:

Mobile Mounting Kit
Spare parts kit
220V AC power supply

Training (see C.8):

Provide operational and routine maintenance training to select battalion personnel
Demonstrate proper care and handling procedures

C.4.4 Base Station:

Existing IAF Radio: Motorola GM660 Mobile Radio (403-470 MHz), 1-25W Output Power, 16 channels - MDM25RHF9CK5_E. You do not have to supply this radio, but the radio you supply must be compatible with it in both standard and encrypted mode. All communications equipment must be certified to be fully interoperable with existing IAF communications equipment. Current IAF radios incorporate the Transcript 460 chip as Level 3 encryption. Transcript 460 chip shall be installed to meet the encryption requirement.

Will allow transmission of radio broadcasts from the installation to deployed units using equipment identified in sections C.4.1, C.4.2, and C.4.3 of this SOW. Base Stations will be supplied in both fixed and mobile configurations.

Environmental Requirements:

Vibration - MIL-STD-810C/D/E
Shock - MIL-STD-810C/D/E
Rain - MIL-STD-810C/D/E
Dust - MIL-STD-810C/D/E
Operating temperature minus 10 degrees C to plus 60 degrees C

Operational Requirements:

Multi-channel Narrow band operating in the 410 - 430 MHz bandwidth
Compatible with radios cited in C.4.1 and C.4.2
Transmission of voice communications to 30km.
Transcript 460 chip shall be installed to meet the encryption requirement

Power Source:

Powered directly from AC power supply
An Uninterrupted Power Supply (UPS) is required for each base station. UPS shall supply back up power to operate the radio for a minimum of 30 minutes.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 91 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

Support Equipment:

220V AC power supply
Antenna
Mounting kit
Spare parts kit

Training (see C.8):

Provide operational and routine maintenance training to select battalion personnel
Demonstrate proper care and handling procedures

C.4.5 Fixed HF Radio

Existing IAF Radio: Barrett 950 HF Base Station Radio, 125W Output Power. You do not have to supply this radio, but the radio you supply must be compatible with it in both standard and encrypted mode. All communications equipment must be certified to be fully interoperable with existing IAF communications equipment. Current IAF radios incorporate the Transcript 460 chip as Level 3 encryption. Transcript 460 chip shall be installed to meet the encryption requirement.

This will provide a reach-back capability to the installation when units are operating beyond 30km.

Environmental Requirements:

Vibration - MIL-STD-810C/D/E
Shock - MIL-STD-810C/D/E
Rain - MIL-STD-810C/D/E
Dust - MIL-STD-810C/D/E
Operating temperature minus 10 degrees C to plus 60 degrees C

Operational Requirements:

HF SSB (Single-side band)
Operates in the 1.6 - 30 MHz range
100 simplex or half-duplex channels
125 W output power
DSP (Digital Signal Processing)
Channel scan capability
Priority and guard channels
Selective calling option
Voice activated digital squelch
Compatible with HF system cited in C.4.6
Transcript 460 chip shall be installed to meet the encryption requirement

Power Source:

Powered directly from AC power supply

Support Equipment:

Radio Service Software
ALE software program via computer
125W broadband dipole antenna
60m coax cable kit
Spare parts kit
220V AC power supply

Training (see C.8):

Provide operational and routine maintenance training to select battalion personnel
Demonstrate proper care and handling procedures

C.4.6 Mobile HF Radio

Existing IAF Radio: Barrett 950 HF Mobile Radio, 125W Output Power. You do not have to supply this radio, but the radio you supply

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 92 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

must be compatible with it in both standard and encrypted mode. All communications equipment must be certified to be fully interoperable with existing IAF communications equipment. Current IAF radios incorporate the Transcript 460 chip as Level 3 encryption. Transcript 460 chip shall be installed to meet the encryption requirement. This will provide a reach-back capability to the installation when units are operating beyond 30km.

Environmental Requirements:

Vibration - MIL-STD-810C/D/E
Shock - MIL-STD-810C/D/E
Rain - MIL-STD-810C/D/E
Dust - MIL-STD-810C/D/E
Operating temperature minus 10 degrees C to plus 60 degrees C

Operational Requirements:

HF SSB (Single-side band)
Operates in the 1.6 - 30 MHz range
100 simplex or half-duplex channels
125 W output power
DSP (Digital Signal Processing)
Channel scan capability
Priority and guard channels
Selective calling option
Voice activated digital squelch
Compatible with fixed HF station cited in C.4.5
Transcript 460 chip shall be installed to meet the encryption requirement

Power Source:

Powered by a portable battery pack
Powered from vehicle internal electrical system (adaptable to 24v accessory power receptacles in equipment cited in sections C.2.1, C.2.2, C.2.4, C.2.6, and C.2.7)

Transportability:

Able to be installed in vehicle-mounted equipment receptacle and operate while mobile (adaptable to accessory power receptacles in equipment cited in sections C.2.1, C.2.2, C.2.4, C.2.6, and C.2.7)
Man-portable

Support Equipment:

Radio Service Software
ALE software program via computer
Antenna tuner
9 heavy duty mobile antenna
Mobile mounting kit
Spare parts kit

Training (see C.8):

Provide operational and routine maintenance training to select battalion personnel
Demonstrate proper care and handling procedures

C.5 Night Vision - New Only

C.5.1 Individual Night Vision Device: This individual system (similar to U.S. Army AN/PVS-7 Night Vision Goggles, Generation II or better) will allow individual soldiers to have night vision capability.

- Allow operation in low light conditions considered to be the equivalent of clear starlight conditions.
- Can be mounted to an individuals head with adjustable straps.
- Shall have a Helmet Mounting Kit
- Allow individuals to drive vehicles and conduct operations in low light condition with all items and equipment identified in this Statement of Work.
- Allow individuals to engage targets in low light conditions with weapons cited in C.3.
- Be battery operated with an individual battery (set of batteries) life of eight hours of continuous operations without degradation.

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-D-0181 MOD/AMD</p>	<p style="text-align: center;">Page 93 of 113</p>
--------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

g. Be delivered with either 25 sets of primary batteries or 6 sets of rechargeable batteries and 1 recharger.

- C.5.2 Weapon Mounted Night Vision Kit: This Kit system (similar to AN/PAQ-4C) will allow operators of the weapons identified in section C.3 (except 9mm Hand Gun) to have night vision capability when used with C.5.1 Individual Night Vision Device.
- a. Allow operation in low light conditions considered to be the equivalent of clear starlight conditions.
 - b. Be a laser pointer similar to AN/PAQ-4C that allows target pointing to 750M.
 - c. Be mountable on the weapons cited in Section C.3 (except 9mm Hand Gun).
 - d. Allow individuals to zero, qualify with and engage targets with the weapons cited in Section C.3. (except 9mm Hand Gun) in low light conditions.
 - e. Be battery operated with individual battery (set of batteries) life of 14 hours of intermittent use (normal operations).
 - f. Be delivered with either 25 sets of primary batteries or 6 sets of rechargeable batteries and 1 recharger.

C.6 Fire Control - New Only

C.6.1 Binoculars: The Binoculars will be 7x50 with individual eyepiece focus, M-22 style mil reticle, and carrying case. The binoculars will have a minimum field of view of 120 meters at 1000 meters. The binoculars shall be equipped with a carrying strap between 97 and 112 cm in length. The binoculars shall be provided with eyecups which shall be foldable. The binoculars shall also be provided with covers for the objective and ocular lenses. The binoculars shall withstand temperatures of -25C and 70C (-3F and +158F) without damage or internal fogging. The binocular shall remain water tight while withstanding immersion in one meter deep water for sixty minutes. The binoculars shall be predominately one color: black, tan or olive drab.

C.6.2 Compass: Ruggedized, waterproof, commercially available magnetic compass capable of azimuth determination, and land navigation assistance. The compass will be tan, black or green in color.

C.6.3 GPS: Ruggedized, waterproof commercially available Global Positioning System. The unit will be WAAS enabled, have 12 parallel channels, be operable with one hand, and use commercially available batteries. Unit color will be tan, black or green.

C.7 Individual Soldier Equipment - "like new is acceptable"

C.7.1 Sleeping Bag: Rectangular shaped bag with minimum size 34 inches x 82 inches. Zipper that will allow unzipped bag to lay flat. Dual bag construction with sewn in weather tube to keep cold from coming thru zipper. Insulation overlapping shingle two layer must be synthetic material with very low water absorption qualities. Washable by machine and by hand. Color: desert tan or desert camouflage. A stuff sack must be provided that sleeping bag will fit in. Comfort rating to -3C.

-Edge zip (not mummy bag)

C.7.2 Entrenching Tool With Cover: The tool shall be approximately 23 inches long, weight approximately 40 oz. and have a closed length of approximately 9.5 inches. The color shall be tan or olive drab.

C.7.3 Load Bearing Vest: Load bearing vest shall have the ability to attach and remove various equipment to include but not be limited to ammunition, grenade, canteens, and or other mission essential load carrying pockets. The vests shall be compatible with pistol belt C.7.13. The vest shall be adjustable to allow proper fitting.

- (2) Magazine pouches (six 30 round AK47 magazines)
- (1) Compass pouch
- (4) Multi- purpose pouches
- Fabric: durable nylon
- Pouches will be snap-on as well as velcro
- Tan, olive drab or desert camouflage in color
- Will accommodate a pistol belt

C.7.4 Poncho: The poncho is a rectangular shaped garment with an attached hood having a draw string cord around the face opening. The poncho and hood will be capable of use over the users helmet, body armor and all equipment. Side hems will be fitted with rustproof snap fasteners so that the front and back can be joined together to form a closed rain garment. The poncho will have grommets at corners and center of each hem so that a temporary shelter may be tied down or constructed. The poncho will be made from waterproof nylon fabric coated on one side only. All seams, except hem seams, shall be sealed to prevent water leakage. The poncho will weigh approximately 0.7 kg. The poncho will be tan, olive drab or camouflage color.

C.7.5 Poncho Liner: A quilted liner made from synthetic material with very low water absorption qualities that matches the dimensions of the poncho. The poncho liner will be capable of use as a field blanket to keep the user warm. Machine or hand washable.

-Green (Olive drab), camouflage, or khaki in color

C.7.6 Dust Goggles: Goggles must provide wind and dust protection for the eyes in both clear and sunglass configurations. Goggles must be provided with 2 pair each of interchangeable clear and sunglass lenses, and it is preferable that the sunglass lenses be neutral grey. Goggles should accommodate prescription eyeglass users while still providing wind and dust protection and have a ventilation system to minimize conditions that create fog inside of the goggles. Goggles should be comfortable and capable of fitting a

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 94 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

wide range of people, be compatible with military helmets and equipment, provide for good field of view and be capable of being used while firing weapons. Any adjustments should be easy to make. Goggles should weigh approximately 5 oz. Components of the goggles, with exception of lenses, shall be subdued in color such as black, tan or green.

C.7.7 Body Armor: Individual armor that will protect the wearers torso (front, back and sides) and neck. The vest shall have the ability to add and remove various pouches, pockets and individual equipment to reduce load and configure as necessary depending on the mission. The vest shall be capable of carrying ballistic plates front and back. The ballistic plates shall be rectangular shape approximately 10 inches by 12 inches. NIJ Level III protection is required with NIJ Level IIIA protection required for the top of the shoulders and neck. Body armor will meet NIJ standard 0101.04. Body armor will be supplied 20% small, 20% medium, and 60% large.

C.7.8 Helmet with Cover: The helmet shall be a rigid, one-piece ballistic protective item. The helmet shall cover the front of the head, the temple region, the ear, and occipital region. The helmet shall have a suspension system with an ability to adjust both the circumference of the head as well as a height adjustment for the length of the head. The required protection shall be equal to or better than NIJ Type II in accordance with NIJ standard 0106.01. Helmet cover shall be cloth and fits snugly over helmet. Both items shall be tan or olive drab in color. Helmets will be supplied 20% small, 20% medium, and 60% large.

C.7.9 Water Can: A plastic water can with pouring spout that will hold 20 liters of liquid. The water can may be vented through an air hole opposite the pouring spout or may be vented by means of a tube at the center of the pouring spout. The caps may be screw on or clamp on. The water can will be tan, black, or green in color.

C.7.10 Fuel Can (Jerry Can): A metal can with pouring spout that will hold 20 liters of diesel fuel or gasoline. The fuel can may be vented through an air hole opposite the pouring spout or may be vented by means of a tube at the center of the pouring spout. The caps may be screw on or clamp on. The fuel can will be tan, black or green in color.

C.7.11 Medium Tent: This tent will allow 8-12 individuals to sleep or perform unit operations. It will be rectangular in shape and constructed of heavy duty nylon. It will be waterproof. Minimum dimensions shall be 6m x 12m x 1.8m at wall or edge of tent. Poles, if required, will be metal. It will have rollable sides to allow ventilation and netted sides to prevent entry of flying insects when sides are rolled up. The tent shall be desert tan in color.

C.7.12 Rucksack: The rucksack shall be constructed of durable lightweight weather resistant material with the following features.

- 60-80 cubic liter capacity.
- Detachable frame compatible with rucksack
- Rucksack shall consist of a main pouch with closure and outside pockets.
- Shall have hangers for carrying individual equipment and attaching pockets.
- Removable pockets for carrying various military equipment.
- Tan, olive drab, or desert camouflage in color

C.7.13 Pistol Belt: Adjustable to accommodate waist sizes of 24 inches minimum to 56 inches maximum, with quick release mechanism. User will be able to attach various items to include Canteens, weapon or ammunition pouches as necessary. Color will be tan or green (olive drab).

- Nylon web
- Attachable to the load bearing vest
- Plastic snap and grommets

C.7.14 Canteen:

C.7.15 Canteen Cup:

C.7.16 Canteen Cover:

The canteen system shall consist of a canteen, canteen cup and canteen cover. The canteen will have a screw on cap with attaching strap and will hold at least 0.95 liter (1 qt.) The canteen cup will be constructed of metal with a fold up handle. The cover will be attachable to Load Bearing equipment, pistol belt, and body armor. The canteen and canteen cover will be tan, olive drab or desert camouflage in color.

C.8 Training Support for Battalion Sets (C.2 through C.7)

C.8.1 Operator Training Support for items in section C.2 through C.7 (Separately Priced): The contractor shall conduct, at each of the four locations established for delivery (see FOB Destination locations in Section F), one iteration of operator level training per battalion set of equipment as listed in C.2 through C.7, within two weeks of the initial delivery of at least one representative item for each requirement C.2 through C.7 of a complete battalion set. This training shall be conducted in Arabic to approximately 100 Arabic speaking students to train the trainer for approximately 8 hours. An English speaking instructor may use an Arabic translator. The training course shall provide operator level maintenance and training courses for all items. Indoor training and bay space will be provided by the Government. The training course shall require the following:

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 95 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

- a. An understanding of the item capabilities, limitations and interface and operations.
- b. The basis for the item maintenance support for the Operation and Preventative Maintenance checks.
- c. Training material will be stand alone for each specific item.
- d. Warranty Understanding
- e. Hard copy training material
- f. Tools necessary to support the training.

*** END OF NARRATIVE C 001 ***

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 96 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

DELIVERIES OR PERFORMANCE

F.1 DELIVERY SCHEDULE

Attachment 4 contains the Delivery Schedule for the planned first delivery order. The delivery schedule rate for subsequent delivery orders will be equivalent to the items contained in two battalion sets 30 days after the delivery order award, unless otherwise agreed to, and will be continued at the same rate until all of the ordered quantities are delivered. The above statement does not obligate the Government to any additional delivery orders beyond the minimum ordering quantity or require additional orders to be in battalion sets.

F.2 F.O.B. Destination

The F.O.B. points for this contract are:

- Kirkush Military Training Base, Iraq, three battalions and one brigade
- Tadji Military Training Base, Iraq, one battalion
- An Numaniyah, Iraq, five battalions and three brigades
- Al Kasik, Iraq, six battalions and two brigades

F.3 Inspection of Supplies

- a. Definition. Supplies, as used in this clause, includes but is not limited to raw materials, components, intermediate assemblies, end products, and lots of supplies.
- b. The manufacturer of any items provided under this contract shall provide and maintain an inspection system acceptable to the Government covering supplies under this contract and shall tender to the Government for acceptance only supplies that have been inspected in accordance with the inspection system and have been found by the Contractor to be in conformity with contract requirements. The Manufacturer shall maintain records of inspections and tests which are adequate to demonstrate that supplies delivered under this contract meet specified requirements. These records shall be retained for three years after final delivery of supplies furnished under this contract. Records shall be made available to the Government if requested. These reviews and evaluations shall be conducted in a manner that will not unduly delay the contract work. The right of review, whether exercised or not, does not relieve the Contractor of the obligations under the contract.
- c. The Government has the right to inspect and test all supplies called for by the contract, to the extent practicable, at all places and times, including the period of manufacture, and in any event before acceptance. The Government shall perform inspections and tests in a manner that will not unduly delay the work. The Government assumes no contractual obligation to perform any inspection and test for the benefit of the Contractor unless specifically set forth elsewhere in this contract. The contractor shall as a minimum perform any inspections and tests (including visual/mechanical inspections and functional tests) required to satisfy the form, fit, and function requirements of the contract. The form, fit, and function requirements are defined by the contractors drawings and literature (specification sheets, brochures, technical manuals, etc). The contractor shall support Final Acceptance of supplies at destination. During this Acceptance event, all contractual operational facets shall be evaluated.
- d. If the Government performs inspection or test on the premises of the Contractor, subcontractor, or a storage/port of embarkation, the Contractor shall furnish, and shall require subcontractors to furnish, at no increase in contract price, all reasonable facilities and assistance for the safe and convenient performance of these duties. In case of rejection, the Government shall not be liable for any reduction in the value of inspection or test samples.
- e. When supplies are not ready at the time specified by the Contractor for inspection or test, the Contracting Officer may charge to the Contractor the additional cost of inspection or test. The Contracting Officer may also charge the Contractor for any additional cost of inspection or test when prior rejection makes re-inspection or retest necessary.
- f. The Government has the right either to reject or to require correction of nonconforming supplies. Supplies are nonconforming when they are defective in material or workmanship, or are otherwise not in conformity with contract requirements. The Government may reject nonconforming supplies with or without disposition instructions.
- g. The Contractor shall remove supplies rejected or required to be corrected. However, the Contracting Officer may require or permit correction in place, promptly after notice, by and at the expense of the Contractor. The Contractor shall not tender for acceptance corrected or rejected supplies without disclosing the former rejection or requirement for correction, and, when required, shall disclose the corrective action taken.
- h. If the Contractor fails to promptly remove, replace, or correct rejected supplies that are required to be removed or to be replaced or corrected, the Government may either
 - 1. by contract or otherwise, remove, replace, or correct the supplies and charge the cost to the Contractor or

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 97 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

2. terminate the contract for default.

i. Unless the Contractor corrects or replaces the supplies within the delivery schedule, the Contracting Officer may require their delivery and make an equitable price reduction. Failure to agree to a price reduction shall be a dispute.

j. The Contractor shall notify the Government at least 21 days prior to shipment of any supplies under this contract. Notification shall be provided to the Procuring Contracting Officer and shall include a full description of the items to be shipped, the quantity, and the location from which they will be shipped. Separate notification shall be provided for each shipment. Within 7 days of the receipt of notification, the Government will advise the Contractor if Government personnel will conduct any inspection prior to shipment.

k. The Government shall accept or reject supplies as promptly as practicable after delivery, unless otherwise provided in the contract. Government failure to inspect and accept or reject the supplies shall not relieve the Contractor from responsibility, nor impose liability on the Government, for nonconforming supplies.

l. Inspections and tests by the Government do not relieve the Contractor of responsibility for defects or other failures to meet contract requirements discovered before acceptance. Acceptance shall be conclusive, except for latent defects, fraud, gross mistakes amounting to fraud, or as otherwise provided in the contract.

m. If acceptance is not conclusive for any of the reasons in paragraph (l) hereof, the Government, in addition to any other rights and remedies provided by law, or under other provisions of this contract, shall have the right to require the Contractor

1. at no increase in contract price, to correct or replace the defective or nonconforming supplies at the original point of delivery or at the Manufacturers plant at the Contracting Officers election, and in accordance with a reasonable delivery schedule as may be agreed upon between the Contractor and the Contracting Officer; provided, that the Contracting Officer may require a reduction in contract price if the Contractor fails to meet such delivery schedule, or

2. within a reasonable time after receipt by the Contractor of notice of defects or nonconformance, to repay such portion of the contract as is equitable under the circumstances if the Contracting Officer elects not to require correction or replacement. When supplies are returned to the Contractor, the Contractor shall bear the transportation cost from the original point of delivery to the Manufacturers plant and return to the original point when that point is not the Manufacturers plant. If the Contractor fails to perform or act as required in (1) or (2) above and does not cure such failure within a period of 10 days (or such longer period as the Contracting Officer may authorize in writing) after receipt of notice from the Contracting Officer specifying such failure, the Government shall have the right by contract or otherwise to replace or correct such supplies and charge to the Contractor the cost occasioned the Government thereby.

*** END OF NARRATIVE F 001 ***

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 98 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

SPECIAL CONTRACT REQUIREMENTS

	Regulatory Cite	Title	Date
1	252.205-7000	PROVISION OF INFORMATION TO COOPERATIVE AGREEMENT HOLDERS	DEC/1991
2	252.225-7005	IDENTIFICATION OF EXPENDITURES IN THE UNITED STATES	APR/2002

H.1 SOURCE FROM AN ELIGIBLE COUNTRY

Eligibility for award under this solicitation is limited to sources from eligible countries (i.e., the United States, Iraq, Coalition partners and force contributing nations).

Eligible countries are:

Afghanistan	Iceland	Palau	United Kingdom
Albania	Iraq	Panama	United States
Angola	Italy	Philippines	Uzbekistan
Australia	Japan	Poland	
Azerbaijan	Jordan	Portugal	
Bahrain	Kazakhstan	Qatar	
Bulgaria	Kuwait	Romania	
Colombia	Latvia	Rwanda	
Costa Rica	Lithuania	Saudi Arabia	
Czech Republic	Macedonia	Singapore	
Denmark	Marshall Islands	Slovakia	
Dominican Republic	Micronesia	Solomon Islands	
Egypt	Moldova	South Korea	
El Salvador	Mongolia	Spain	
Eritrea	Morocco	Thailand	
Estonia	Netherlands	Tonga	
Ethiopia	New Zealand	Turkey	
Georgia	Nicaragua	UAE	
Honduras	Norway	Uganda	
Hungary	Oman	Ukraine	

A source from an eligible country is:

1. A corporation or partnership that is organized under the laws of an eligible country and that has its principle place of business in an eligible country.
2. An individual that is a citizen of and has a principle place of business in an eligible country or a non-U.S. citizen lawfully admitted for permanent residence in the United States whose principle place of business is in the United States.
3. A joint venture or unincorporated association if each of its member is eligible under 1. or 2. above.

By submitting an offer under this solicitation, the Offeror attests that it is a qualified entity as defined above. Offeror must submit corroborating information to support their determination that they are a qualified entity under this provision.

H.2 Standards of Conduct - Improper Business Practices.

Corruption or any other improper business practices related to this solicitation and any resulting contract will not be tolerated. Transactions relating to the expenditure of public funds require the highest degree of public trust and an impeccable standard of conduct by contractors, subcontractors and any other agent acting in connection with this contract. Examples of such unacceptable behavior include providing or offering of bribes to any person associated with the contract or any subcontracts; soliciting or accepting kickbacks or bribes; and knowingly making any false or misleading accounting reports or financial statements. Contractors, subcontractors and any other agent acting under the contract awarded herein are expected to employ due diligence and have internal controls in place towards practicing good governance in execution of the contract. Any one of these entities found to have engaged in illegal activity, improper behavior, or corrupt practices will be subject to corrective actions in accordance with the FAR or DFAR clause incorporated into this solicitation and resulting contract.

H.3 De-Baathification.

The contractor will be responsible for implementing the following guidance: Coalition Provisional Authority Order Number 1, dated 16 May 2003, subject: De-Baathification of Iraqi Society. The Implementation Plan can be found at Coalition Provisional Authority

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 99 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

Memorandum Number 1, dated 3 June 2003, <http://cpa-iraq.org>.

H.4. Notice to Offerors

Offerors are notified that a class deviation may be granted resulting in an amendment to Section I, Contract Clauses, DFARS 252.225-7021, Trade Agreements (Jan 2004), which would add to the definition of Designated country all countries listed in Section H, paragraph H-1, Source From An Eligible Country. For proposal submission purposes, offerors should assume that the countries listed in Section H, paragraph H-1, are all included in the definition of Designated country in DFARS 252.225-7021.

H.5 Utilization of U.S. Small Business Concerns, Coalition Partner Companies, and Force Contributing Nation Companies.

There are multiple objectives for subcontracting emphasis, which shall be documented in a subcontracting plan and performed in accordance with the terms of this contract.

a. US Small business concerns, veteran-owned small business concerns, service-disabled veteran-owned small business concerns, HUBZone small business concerns, small disadvantaged business concerns, and women-owned small business concerns shall have the maximum practicable opportunity to participate in performing contract(s) resulting from this solicitation. Prime contractors shall establish procedures to ensure the timely payment of amounts due pursuant to the terms of their subcontracts with small business concerns, veteran-owned small business concerns, service-disabled veteranowned small business concerns, HUBZone small business concerns, small disadvantaged business concerns, and womenowned small business concerns.

b. The Contractor shall cooperate in any studies or surveys as may be conducted as may be necessary to determine the extent of the Contractor's compliance with this clause, by any entity designated by the contracting officer.

c. Subcontracting.

1. Contractor shall provide maximum practicable opportunities to participate as subcontractors in contracts awarded under this solicitation for US small business, veteran-owned small business, service-disabled veteran-owned small business, HUBZone small business, small disadvantaged business, and woman-owned small business concerns, coalition partner companies (including Iraqi owned and Iraqi women owned)and force-contributing nation companies, consistent with efficient contract performance. The contractor shall develop and submit a subcontracting plan in accordance with solicitation requirements. The contractor shall establish a goal of at least 10 percent of total contract value (this is not a percentage of planned subcontracting dollars, but rather a percentage of the total dollar value of the contract), in aggregate, for the use of small business, veteran-owned small business, service-disabled veteran-owned small business, HUBZone small business, small disadvantaged business, and women-owned small business, coalition partner companies and force-contributing nation companies. It is the intent of this contract to also facilitate increased access to or ownership by Iraqi women in productive assets, and the contractor's subcontracting effort shall include efforts to subcontract with Iraqi women/women owned entities as subcontractors. The offeror shall include all subcontracts that contribute to contract performance, and may include a proportionate share of products and services that are normally allocated as indirect costs.

2. Contractor shall maintain records concerning procedures that have been adopted to comply with the goals of this provision, including establishing source lists; and a description of the offeror's efforts to locate small business, veteran-owned small business, service-disabled veteran-owned small business, HUBZone small business, small disadvantaged business, women-owned small business concerns, coalition partner companies, force-contributing companies and award subcontracts to them.

3. Contractor shall submit to the contracting officer the following reports: Standard Form (SF) 294, Subcontracting Report for Individual Contracts, as a part of any submission for award fee determination, and at contract completion. The report shall provide information on subcontract awards to small business concerns, veteran-owned small business concerns, service-disabled veteran-owned small business concerns, HUBZone small business concerns, small disadvantaged business concerns, women-owned small business concerns, and shall ensure that all US subcontractors agree to submit SF 294. A separate report, in the format similar SF 294, that addresses Coalition Partners and Force Contributing Nations, including Iraqi entities shall be submitted as a part of any submission for award fee determination, and at contract completion. At the cumulative summary report of its performance with respect to this plan.

d. The failure of the Contractor or subcontractor to comply in good faith with its subcontracting plan required by this contract shall be a material breach of the contract.

H.6 Contractors Accompanying the Force

(a) General.

(1) Performance of this contract may require deployment of Contractor Personnel in support of military operations. The Contractor acknowledges that such operations are inherently dangerous and accepts the risks associated with contract performance in this environment.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 100 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

(2) For purposes of this clause, the term Contractor Personnel refers to the Contractors officers and employees. Unless otherwise specified (e.g., subparagraph (b) of this clause), this term does not include personnel who permanently reside in the country where contract performance will take place.

(3) The Contractor shall ensure that Contractor Personnel working in an area of operations (AO, as defined in the Joint Publication 1-02, DOD Dictionary of Military and Associated Terms) are familiar and comply with applicable: (i) Military Service and Department of Defense regulations, directives, instructions, general orders, policies, and procedures, in particular Army Regulation 715-9 and Field Manual 3-100.21; (ii) U.S., host country, local, and international laws and regulations; and (iii) treaties and international agreements (e.g., Status of Forces Agreements, Host Nation Support Agreements, and Defense Technical Agreements) relating to safety, health, force protection, and operations under this contract.

(4) (a) The Contractor shall ensure that this clause is included in all subcontracts.

(b) Compliance with Combatant Command Orders. The Contractor shall ensure that Contractor Personnel, regardless of residency status, working in the AO comply with all orders, directives, and instructions of the combatant command relating to non-interference in military operations, force protection, health, and safety. The Combatant Commander or his subordinate commanders, in conjunction with the Contracting Officer or the Contracting Officers Representative, may direct the Contractor, at the Contractors own expense, to replace and, where applicable, repatriate any Contractor personnel who fail to comply with this provision. Such action may be taken at the Governments discretion without prejudice to its rights under any other provision of this contract, including the Termination for Default clause.

(c) Contractor Personnel Administration.

(1) In order to maintain accountability of all deployed personnel in the AO, the Contractor will be required to process through a central receiving area as required by the Contracting Officers or their designated representative to provide, and keep current, requested data on Contractor Personnel for entry into military personnel database systems.

(2) The Contractor shall coordinate with their Sector Program Manager or his designated representative: (i) upon initial entry into the AO; (ii) upon initiation of contract performance; (iii) upon relocation of contract operations within the AO; and (iv) upon exiting the AO.

(3) Before deployment, the Contractor shall ensure that: (i) All Contractor Personnel shall complete two DD Forms 93, Record of Emergency Data Card. One copy of the completed form shall be returned to the Government official specified by the Contracting Officers designated representative; the other shall be hand-carried by the individual employee to the AO. (ii) All required security and background checks are completed. (iii) All medical screening and requirements are met.

(4) The Contractor shall ensure that Contractor Personnel have completed all pre-deployment requirements specified by the Contracting Officers designated representative (including processing through the designated Deployment Processing Center and the Contractor shall notify the Contracting Officers designated representative that these actions have been accomplished.

(5) The Contractor shall have a plan for timely replacement of employees who are no longer available for deployment for any reason, including mobilization as members of the Reserve, injury, or death.

(d) Clothing and Equipment Issue. To help distinguish them from combatants, Contractor Personnel shall not wear military clothing unless specifically authorized by a written Department of Army waiver. Contractor Personnel may wear specific items of clothing and equipment required for safety and security such as ballistic or NBC (Nuclear, Biological, Chemical) protective clothing.

(e) Vehicle and Equipment Operation.

(1) The Contractor shall ensure that Contractor Personnel possess the required licenses to operate all vehicles or equipment necessary to perform the contract in the AO.

(2) Contractor-owned or leased motor vehicles or equipment shall meet all requirements established by the combatant command and shall be maintained in a safe operating condition.

(f) Passports, Visas and Customs. The Contractor is responsible for obtaining all passports, visas, and other documents necessary for Contractor Personnel to enter and exit any AO.

H.7 Interpreters

The contractor is required to provide a sufficient number of interpreters to perform the contract requirements.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 101 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

*** END OF NARRATIVE H 001 ***

Name of Offeror or Contractor: ANHAM JOINT VENTURE

CONTRACT CLAUSES

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.212-4	CONTRACT TERMS AND CONDITIONS--COMMERCIAL ITEMS	FEB/2002
2	52.219-9	SMALL BUSINESS SUBCONTRACTING PLAN (ALTERNATE I)	OCT/2001
3	52.225-14	INCONSISTENCY BETWEEN ENGLISH VERSION AND TRANSLATION OF CONTRACT	FEB/2000
4	52.228-4	WORKERS' COMPENSATION AND WAR-HAZARD INSURANCE OVERSEAS	APR/1984
5	52.229-3	FEDERAL, STATE, AND LOCAL TAXES	APR/2003
6	52.229-6	TAXES--FOREIGN FIXED-PRICE CONTRACTS	JAN/1991
7	52.229-7	TAXES--FIXED-PRICE CONTRACTS WITH FOREIGN GOVERNMENTS	JAN/1991
8	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
9	52.232-34	PAYMENT BY ELECTRONIC FUNDS TRANSFER--OTHER THAN CENTRAL CONTRACTOR REGISTRATION	MAY/1999
10	52.232-34	PAYMENT BY ELECTRONIC FUNDS TRANSFER--OTHER THAN CENTRAL CONTRACTOR REGISTRATION	MAY/1999
11	52.246-2	INSPECTION OF SUPPLIES--FIXED PRICE	AUG/1996
12	52.247-34	F.O.B. DESTINATION	NOV/1991
13	252.209-7004	SUBCONTRACTING WITH FIRMS THAT ARE OWNED OR CONTROLLED BY THE GOVERNMENT OF A TERRORIST COUNTRY per DoD interim rule, Federal Register 27 Mar 98	MAR/1998
14	252.219-7003	SMALL, SMALL DISADVANTAGED AND WOMEN-OWNED SMALL BUSINESS SUBCONTRACTING PLAN (DOD CONTRACTS)	APR/1996
15	252.225-7013	DUTY-FREE ENTRY	JAN/2004
16	252.225-7021	TRADE AGREEMENTS	AUG/2003
17	252.225-7031	SECONDARY ARAB BOYCOTT OF ISRAEL	APR/2003
18	252.225-7041	CORRESPONDENCE IN ENGLISH	JUN/1997
19	252.225-7042	AUTHORIZATION TO PERFORM	APR/2003
20	252.226-7001	UTILIZATION OF INDIAN ORGANIZATIONS AND INDIAN-OWNED ECONOMIC ENTERPRISES	SEP/2001
21	252.227-7015	TECHNICAL DATA - COMMERCIAL ITEMS	NOV/1995
22	252.227-7037	VALIDATION OF RESTRICTIVE MARKINGS ON TECHNICAL DATA	SEP/1999
23	252.228-7000	REIMBURSEMENT FOR WAR-HAZARD LOSSES	DEC/1991
24	252. 228-7003	CAPTURE AND DETENTION	DEC/1991
25	252.232-7004	DOD PROGRESS PAYMENT RATES	OCT/2001
26	252.243-7002	REQUESTS FOR EQUITABLE ADJUSTMENT	MAR/1998
27	252.247-7023	TRANSPORTATION OF SUPPLIES BY SEA	MAY/2002
28	52.212-5	CONTRACT TERMS AND CONDITIONS REQUIRED TO IMPLEMENT STATUTES OR EXECUTIVE ORDERS--COMMERCIAL ITEMS	JAN/2004

(a) The Contractor shall comply with the following FAR clause, which is incorporated in this contract by reference, to implement provisions of law or executive orders applicable to acquisitions of commercial items:

52.233-3, Protest after Award (31 U.S.C 3553).

(b) The Contractor shall comply with the (following, checked) FAR clauses in this paragraph (b), which the contracting officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

X(1) 52.203-6, Restrictions on Subcontractor Sales to the Government, with Alternate I (41 U.S.C. 253g and 10 U.S.C. 2402).

____(2) 52.219-3, Notice of Total HUBZone Small Business Set-Aside (Jan 1999).

X(3) 52.219-4, Notice of Price Evaluation Preference for HUBZone Small Business Concerns (Jan 1999) (if the offeror elects to waive the preference, it shall so indicate in its offer)

____(4) (i) 52.219-5, Very Small Business Set-Aside (Pub. L. 103-403, section 304, Small Business Reauthorization and Amendments Act of 1994).

_____ (ii) Alternate I to 52.219-5.

(iii) Alternate II to 52.219-5.

(5)(i)52.219-6, Notice of Total Small Business Aside (June 2003)(15 U.S.C.644)

(ii) Alternate I (Oct 1995) of 52.219-6.

(6)(i) 52.219-7, Notice of Partial Small Business Set Aside (June 2003)(15 U.S.C. 644).

(ii) Alternate I (Oct 1995) of 52.219-7.

X(7) 52.219-8, Utilization of Small Business Concerns (15 U.S.C. 637 (d)(2) and (3)).

X(8) 52.219-9, Small Business Subcontracting Plan (15 U.S.C. 637(d)(4))

(ii) Alternate I of 52.219-9.

(iii) Alternate II of 52.219-9.

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center">PIIN/SIIN W56HZV-04-D-0181 MOD/AMD</p>	<p align="center">Page103 of 113</p>
-------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

- ___(9) 52.219-14, Limitations on Subcontracting (15 U.S.C. 637(a)(14)).
- ___(10) (i) 52.219-23, Notice of Price Evaluation Adjustment for Small Disadvantaged Business Concerns (Pub. L. 103-355, section 7102, and 10 U.S.C. 2323) (if the offeror elects to waive the adjustment, it shall so indicate in its offer).
- __X_ (ii) Alternate I of 52.219-23.
- ___(11) 52.219-25, Small Disadvantaged Business Participation Program--Disadvantaged Status and Reporting (Pub. L. 103-355, section 7102, and 10 U.S.C. 2323).
- ___(12) 52.219-26, Small Disadvantaged Business Participation Program--Incentive Subcontracting (Pub. L. 103-355, section 7102, and 10 U.S.C. 2323).
- X (13) 52.222-3, Convict Labor (E.O. 11755)
- X (14) 52.222-19, Child Labor-Cooperation with Authorities and Remedies (E.O.13126)
- _X (15) 52.222-21, Prohibition of Segregated Facilities (Feb 1999)
- _X_(16) 52.222-26, Equal Opportunity (E.O. 11246)
- _X_(17) 52.222-35, Equal Opportunity for Special Disabled Veterans, Veterans of the Vietnam Era, and Other Eligible Veterans (38 U.S.C. 4212).
- _X_(18) 52.222-36, Affirmative Action for Workers with Disabilities (29 U.S.C. 793).
- _X_ (19) 52.222-37, Employment Reports on Special Disabled Veterans, Veterans of the Vietnam Era, and Other Eligible Veterans (38 U.S.C. 4212).
- ___(20) (i) 52.223-9, Estimate of Percentage of Recovered Material Content for EPA-Designated Products (42 U.S.C. 6962(c)(3)(A)(ii).
(ii) Alternate I of 52.223-9 (42 U.S.C. 6962(i)(2)(C)).
- ___(21) 52.225-1, Buy American Act--Supplies (41 U.S.C. 10a-10d).
- ___(22)(i) 52.225-3, Buy American Act--North American Free Trade Agreement--Israeli Trade Act--(41U.S.C. 10a-10d, 19 U.S.C. 3301 note, 19 U.S.C. 2112 note)
- ___ (ii) Alternate I of 52.225-3.
- ___ (iii) Alternate II of 52.225-3.
- ___(23) 52.225-5, Trade Agreements (19 U.S.C. 2501, et seq., 19 U.S.C. 3301 note).
- X (24) 52.225-13, Restrictions on Certain Foreign Purchases (E.O.'s, proclamations, and statutes administered by the Office of Foreign assets Control of the Dept. of the Treasury).
- ___(25) 52.225-15, Sanctioned European Union Country End Products (E.O. 12849).
- ___(26) 52.225-16, Sanctioned European Union Country Services (E.O. 12849).
- ___(27) 52.232-29, Terms for Financing of Purchases of Commercial Items (41 U.S.C. 255(f), 10 U.S.C. 2307(f)).
- ___(28) 52.232-30, Installment Payments for Commercial Items(41 U.S.C. 255(f), 10 U.S.C. 2307(f)).
- X (29) 52.232-33, Payment by Electronic Funds Transfer--Central Contractor Registration (31 U.S.C. 3332).
- _X_(30) 52.232-34, Payment by Electronic Funds Transfer--Other than Central Contractor Registration (31 U.S.C. 3332).
- ___(31) 52.232-36, Payment by Third Party (31 U.S.C. 3332).
- ___(32) 52.239-1, Privacy or Security Safeguards (5 U.S.C. 552a).
- ___(33) (i) 52.247-64, Preference for Privately Owned U.S.--Flag Commercial Vessels (46 U.S.C. 1241 & 10 U.S.C. 2631).
(ii) Alternate I of 52.247-64.

(c) The Contractor shall comply with the (following, checked) FAR clauses in this paragraph (c), applicable to commercial services, which the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or executive orders applicable to acquisitions of commercial items:

- ___(1) 52.222-41, Service Contract Act of 1965, As Amended (41 U.S.C. 351, et seq.).
- ___(2) 52.222-42, Statement of Equivalent Rates for Federal Hires (29 U.S.C. 206 and 41 U.S.C. 351, et seq.).
- ___(3) 52.222-43, Fair Labor Standards Act and Service Contract Act--Price Adjustment (Multiple Year and Option Contracts) (29 U.S.C. 206 and 41 U.S.C. 351, et seq.).
- ___(4) 52.222-44, Fair Labor Standards Act and Service Contract Act--Price Adjustment (29 U.S.C. 206 and 41 U.S.C. 351, et seq.).
- ___(5) 52.222-47, SCA Minimum Wages and Fringe Benefits Applicable to Successor Contract Pursuant to Predecessor Contractor Collective Bargaining Agreement (CBA) (41 U.S.C. 351, et seq.).

(d) Comptroller General Examination of Record. The Contractor shall comply with the provisions of this paragraph (d) if this contract was awarded using other than sealed bid, is in excess of the simplified acquisition threshold, and does not contain the clause at 52.215-2, Audit and Records--Negotiation.

- (1) The Comptroller General of the United States, or an authorized representative of the Comptroller General, shall have access to and right to examine any of the Contractor's directly pertinent records involving transactions related to this contract.
- (2) The Contractor shall make available at its offices at all reasonable times the records, materials, and other evidence for examination, audit, or reproduction, until 3 years after final payment under this contract or for any shorter period specified in FAR Subpart 4.7, Contractor Records Retention, of the other clauses of this contract. If this contract is completely or partially terminated, the records relating to the work terminated shall be made available for 3 years after any resulting final termination settlement. Records relating to appeals under the disputes clause or to litigation or the settlement of claims arising under or relating to this contract shall be made available until such appeals, litigation, or claims are finally resolved.
- (3) As used in this clause, records include books, documents, accounting procedures and practices, and other data, regardless of type and regardless of form. This does not require the Contractor to create or maintain any record that the Contractor does not maintain

<p>CONTINUATION SHEET</p>	<p>Reference No. of Document Being Continued</p> <p>PIIN/SIIN W56HZV-04-D-0181 MOD/AMD</p>	<p>Page104 of 113</p>
----------------------------------	---------------------------------------------------------------------------------------------------	-------------------------------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

in the ordinary course of business or pursuant to a provision of law.

(e)

(1) Notwithstanding the requirements of the clauses in paragraphs (a), (b), (c) or (d) of this clause, the Contractor is not required to flow down any FAR clause, other than those in paragraphs (i) through (vi) of this paragraph, in a subcontract for commercial items or commercial components. Unless otherwise indicated below, the extent of the flow down shall be as required by the clause--

(i) 52.219-8, Utilization of Small Business Concerns (15 U.S.C. 637(d)(2) and (3)), in all subcontracts that offer further subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$500,000 (\$1,000,000 for construction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.

(ii) 52.222-26, Equal Opportunity (E.O. 11246);

(iii) 52.222-35, Equal Opportunity for Special Disabled Veterans, Veterans of the Vietnam Era, and Other Eligible Veterans (38 U.S.C. 4212);

(iv) 52.222-36, Affirmative Action for Workers with Disabilities (29 U.S.C. 793);

(v) 52.222-41, Service Contract Act of 1965, As Amended, flow down required for all subcontracts subject to the Service Contract Act of 1965 (41 U.S.C. 351, et seq.).

(vi) 52.247-64, Preference for Privately-Owned U.S. Flag Commercial Vessels (46 U.S.C. Appx 1241 and 10 U.S.C. 2631). Flow down required in accordance with paragraph (d) of FAR clause 52.247-64.

(2) While not required, the contractor may include in its subcontrats for commercial items a minimal number of additional clasues necessary to satisfy its contractual obligations.

(End of clause)

29 52.216-18 ORDERING OCT/1995

(a) Any supplies and services to be furnished under this contract shall be ordered by issuance of delivery orders or task orders by the individuals or activities designated in the Schedule. Such orders may be issued from date of contract award through September 2006.

(b) All delivery orders are subject to the terms and conditions of this contract. In the event of conflict between a delivery order and this contract, the contract shall control.

(c) If mailed, a delivery order or task order is considered issued when the Government deposits the order in the mail. Orders may be issued orally, by facsimile, or by electronic commerce methods only if authorized in the Schedule.

[End of Clause]

30 52.216-19 ORDER LIMITATIONS OCT/1995

(a) Minimum order. When the Government requires supplies or services covered by this contract in an amount of less than \$50,000, the Government is not obligated to purchase, nor is the Contractor obligated to furnish, those supplies or services under the contract.

(b) Maximum order. The Contractor is not obligated to honor--

(1) Any order for a single item in excess of the maximum order quantity for that item.

(2) Any order for a combination of items in excess of the maximum order quantity for that item; or

(3) A series of orders from the same ordering office within 30 days that together call for quantities exceeding the limitation in subparagraph (1) or (2) of this section.

(c) If this is a requirements contract (i.e., includes the REQUIREMENTS clause at subsection 52.216-21 of the Federal Acquisition Regulation (FAR)), the Government is not required to order a part of any one requirement from the Contractor if that requirement exceeds the maximum-order limitations in paragraph (b) of this section.

(d) Notwithstanding paragraphs (b) and (c) of this section, the Contractor shall honor any order exceeding the maximum order limitations in paragraph (b), unless that order (or orders) is returned to the ordering office within 5 days after issuance, with written notice stating the Contractor's intent not to ship the item (or items) called for and the reasons. Upon receiving this notice, the Government may acquire the supplies or services from another source.

(End of clause)

31 52.216-22 INDEFINITE QUANTITY OCT/1995

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page105 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

(a) This is an indefinite-quantity contract for the supplies or services specified, and effective for the period stated, in the Schedule. The quantities of supplies and services specified in the Schedule are estimates only and are not purchased by this contract.

(b) Delivery or performance shall be made only as authorized by orders issued in accordance with the ORDERING clause. The Contractor shall furnish to the Government, when and if ordered, the supplies or services specified in the Schedule up to and including the quantity designated in the Schedule as the maximum. The Government shall order at least the quantity of supplies or services designated in the Schedule as the minimum.

(c) Except for any limitations on quantities in the ORDER LIMITATIONS clause or in the Schedule, there is no limit on the number of orders that may be issued. The Government may issue orders requiring delivery to multiple destinations or performance at multiple locations.

(d) Any order issued during the effective period of this contract and not completed by the Contractor within that period shall be completed by the Contractor within the time specified in the order. The contract shall govern the Contractor's and Government's rights and obligations with respect to that order to the same extent as if the order were completed during the contract's effective period; provided, that the Contractor shall not be required to make any deliveries under this contract after 30 September 2006.

[End of Clause]

32	252.212-7001	CONTRACT TERMS AND CONDITIONS REQUIRED TO IMPLEMENT STATUTES OR EXECUTIVE ORDERS APPLICABLE TO DEFENSE ACQUISITIONS OF COMMERCIAL ITEMS	JAN/2004
----	--------------	-----------------------------------------------------------------------------------------------------------------------------------------------	----------

(a) The Contractor agrees to comply with the following Federal Acquisition Regulation (FAR) clause which, if checked, is included in this contract by reference to implement a provision of law applicable to acquisitions of commercial items or components.

() 52.203-3 Gratuities (APR 1984) (10 U.S.C. 2207)

(b) The Contractor agrees to comply with any clause that is checked on the following list of DFARS clauses which, if checked, is included in this contract by reference to implement provisions of law of Executive orders applicable to acquisitions of commercial items or components.

- ☒ X_252.205-7000 Provision of Information to Cooperative Agreement Holders (10 U.S.C. 2416).
- ☒ X_252.219-7003 Small, Small Disadvantaged and Women-Owned Small Business Subcontracting Plan (DoD Contracts) (15 U.S.C. 637).
- ☐ 252.219-7004 Small, Small Disadvantaged and Women-Owned Small Business Subcontracting Plan (Test Program)(15 U.S.C. 637 note).
- ☐ 252.225-7001 Buy American Act and Balance of Payments Program (41 U.S.C. 10a-10d, E.O. 10582).
- ☒ X_252.225-7012 Preference for Certain Domestic Commodities.
- ☐ 252.225-7014 Preference for Domestic Specialty Metals (10 U.S.C. 2533a).
- ☐ 252.225-7015 Restriction on Acquisition of Hand or Measuring Tools (10 U.S.C. 2533a).
- ☐ 252.225-7016 Restriction on Acquisition of Ball and Roller Bearings.
(☐ Alternate I)(10 U.S.C. 2534 and Sect. 8099 of Pub.L. 104-61 and similar sections in subsequent DoD app. acts).
- ☒ X 252.225-7021 Trade Agreements (19 U.S.C. 2501-2518 and 19 U.S.C. 3301 note).
- ☐ 252.225-7027 Restriction on Contingent Fees for Foreign Military Sales (22 U.S.C. 2779).
- ☐ 252.225-7028 Exclusionary Policies and Practices of Foreign Governments (22 U.S.C. 2755).
- ☐ 252.225-7036 Buy American Act--North American Free Trade Agreement Implementation Act--Balance of Payments Program (☐ Alternate I)(41 U.S.C. 10a-10d and 19 U.S.C. 3301 note).
- ☐ 252.225-7038 Restriction on Acquisition of Air Circuit Breakers (10 U.S.C. 2534(a)(3)).
- ☒ X_252.226-7001 Utilization of Indian Organizations, Indian-Owned Economic Enterprises and Native Hawaiian Small Business Concerns Section 8021 of Pub.L. 107-248).
- ☒ X_252.227-7015 Technical Data--Commercial Items (10 U.S.C. 2320).

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page106 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

X 252.227-7037 Validation of Restrictive Markings on Technical Data (10 U.S.C. 2321).

252.232-7003 Electronic Submission of Payment Requests (10 U.S.C. 2227).

X 252.243-7002 Requests for Equitable Adjustment (10 U.S.C. 2410).

X 252.247-7023 Transportation of Supplies by Sea (10U.S.C. 2631)
 (X Alternate I)
 (Alternate II)
 (Alternate III)(10 U.S.C. 2631)

252.247-7024 Notification of Transportation of Supplies by Sea (10 U.S.C. 2631).

(c) In addition to the clauses listed in paragraph (e) of the Contract Terms and Conditions Required to Implement Statutes or Executive Orders--Commercial Items clause (FAR 52.212-5) of this contract, the Contractor shall include the terms of the following clauses, if applicable, in subcontracts for commercial items or commercial components, awarded at any tier under this contract:

252.225-7014 Preference for Domestic Specialty Metals, Alternate I (10 U.S.C. 2533a).
 252.247-7023 Transportation of Supplies by Sea (10 U.S.C. 2631)
 252.247-7024 Notification of Transportation of Supplies by Sea (10 U.S.C. 2631).

(End of clause)

33 52.211-16 VARIATION IN QUANTITY APR/1984

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

(b) The permissible variation shall be limited to:

ZERO percent increase; and
ZERO percent decrease.

This increase or decrease shall apply to THE TOTAL CONTRACTUAL QUANTITY.

[End of Clause]

34 52.212-4 CONTRACT TERMS AND CONDITIONS--COMMERCIAL ITEMS OCT/2003

(a) Inspection/Acceptance. The Contractor shall only tender for acceptance those items that conform to the requirements of this contract. The Government reserves the right to inspect or test any supplies or services that have been tendered for acceptance. The Government may require repair or replacement of nonconforming supplies or reperformance of nonconforming services at no increase in contract price. The Government must exercise its post-acceptance rights --

(1) Within a reasonable time after the defect was discovered or should have been discovered; and

(2) Before any substantial change occurs in the condition of the item, unless the change is due to the defect in the item.

(b) Assignment. The Contractor or its assignee may assign its rights to receive payment due as a result of performance of this contract to a bank, trust company, or other financing institution, including any Federal lending agency in accordance with the Assignment of Claims Act (31 U.S.C.3727). However, when a third party makes payment (e.g., use of the Governmentwide commercial purchase card), the Contractor may not assign its rights to receive payment under this contract.

(c) Changes. Changes in the terms and conditions of this contract may be made only by written agreement of the parties.

(d) Disputes. This contract is subject to the Contract Disputes Act of 1978, as amended (41 U.S.C. 601-613). Failure of the parties to this contract to reach agreement on any request for equitable adjustment, claim, appeal or action arising under or relating to this contract shall be a dispute to be resolved in accordance with the clause at FAR 52.233-1, Disputes, which is incorporated herein by reference. The Contractor shall proceed diligently with performance of this contract, pending final resolution of any dispute arising under the contract.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 107 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

(e) Definitions. The clause at FAR 52.202-1, Definitions, is incorporated herein by reference.

(f) Excusable delays. The Contractor shall be liable for default unless nonperformance is caused by an occurrence beyond the reasonable control of the Contractor and without its fault or negligence such as, acts of God or the public enemy, acts of the Government in either its sovereign or contractual capacity, fires, floods, epidemics, quarantine restrictions, strikes, unusually severe weather, and delays of common carriers. The Contractor shall notify the Contracting Officer in writing as soon as it is reasonably possible after the commencement of any excusable delay, setting forth the full particulars in connection therewith, shall remedy such occurrence with all reasonable dispatch, and shall promptly give written notice to the Contracting Officer of the cessation of such occurrence.

(g) Invoice.

(1) The Contractor shall submit an original invoice and three copies (or electronic invoice, if authorized) to the address designated in the contract to receive invoices. An invoice must include --

(i) Name and address of the Contractor;

(ii) Invoice date and number;

(iii) Contract number, contract line item number and, if applicable, the order number;

(iv) Description, quantity, unit of measure, unit price and extended price of the items delivered;

(v) Shipping number and date of shipment, including the bill of lading number and weight of shipment if shipped on Government bill of lading;

(vi) Terms of any discount for prompt payment offered;

(vii) Name and address of official to whom payment is to be sent;

(viii) Name, title, and phone number of person to notify in event of defective invoice; and

(ix) Taxpayer Identification Number (TIN). The Contractor shall include its TIN on the invoice only if required elsewhere in this contract.

(x) Electronic funds transfer (EFT) banking information.

(A) The Contractor shall include EFT banking information on the invoice only if required elsewhere in this contract.

(B) If EFT banking information is not required to be on the invoice, in order for the invoice to be a proper invoice, the Contractor shall have submitted correct EFT banking information in accordance with the applicable solicitation provision, contract clause (e.g., 52.232-33, Payment by Electronic Funds Transfer-Central Contractor Registration, or 52.232-34, Payment by Electronic Funds Transfer-Other Than Central Contractor Registration), or applicable agency procedures.

(C) EFT banking information is not required if the Government waived the requirement to pay by EFT.

(2) Invoices will be handled in accordance with the Prompt Payment Act (31 U.S.C. 3903) and Office of Management and Budget (OMB) prompt payment regulations at 5 CFR part 1315.

(h) Patent indemnity. The Contractor shall indemnify the Government and its officers, employees and agents against liability, including costs, for actual or alleged direct or contributory infringement of, or inducement to infringe, any United States or foreign patent, trademark or copyright, arising out of the performance of this contract, provided the Contractor is reasonably notified of such claims and proceedings.

(i) Payment. Payment shall be made for items accepted by the Government that have been delivered to the delivery destinations set forth in this contract. The Government will make payment in accordance with the Prompt Payment Act (31 U.S.C. 3903) and OMB prompt payment regulations at 5 CFR part 1315. In connection with any discount offered for early payment, time shall be computed from the date of the invoice. For the purpose of computing the discount earned, payment shall be considered to have been made on the date which appears on the payment check or the specified payment date if an electronic funds transfer payment is made.

(j) Risk of loss. Unless the contract specifically provides otherwise, risk of loss or damage to the supplies provided under this contract shall remain with the Contractor until, and shall pass to the Government upon:

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 108 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

(1) Delivery of the supplies to a carrier, if transportation is f.o.b. origin; or

(2) Delivery of the supplies to the Government at the destination specified in the contract, if transportation is f.o.b. destination.

(k) Taxes. The contract price includes all applicable Federal, State, and local taxes and duties.

(l) Termination for the Government's convenience. The Government reserves the right to terminate this contract, or any part hereof, for its sole convenience. In the event of such termination, the Contractor shall immediately stop all work hereunder and shall immediately cause any and all of its suppliers and subcontractors to cease work. Subject to the terms of this contract, the Contractor shall be paid a percentage of the contract price reflecting the percentage of the work performed prior to the notice of termination, plus reasonable charges the Contractor can demonstrate to the satisfaction of the Government using its standard record keeping system, have resulted from the termination. The Contractor shall not be required to comply with the cost accounting standards or contract cost principles for this purpose. This paragraph does not give the Government any right to audit the Contractor's records. The Contractor shall not be paid for any work performed or costs incurred which reasonably could have been avoided.

(m) Termination for cause. The Government may terminate this contract, or any part hereof, for cause in the event of any default by the Contractor, or if the Contractor fails to comply with any contract terms and conditions, or fails to provide the Government, upon request, with adequate assurances of future performance. In the event of termination for cause, the Government shall not be liable to the Contractor for any amount for supplies or services not accepted, and the Contractor shall be liable to the Government for any and all rights and remedies provided by law. If it is determined that the Government improperly terminated this contract for default, such termination shall be deemed a termination for convenience.

(n) Title. Unless specified elsewhere in this contract, title to items furnished under this contract shall pass to the Government upon acceptance, regardless of when or where the Government takes physical possession.

(o) Warranty. The Contractor warrants and implies that the items delivered hereunder are merchantable and fit for use for the particular purpose described in this contract.

(p) Limitation of liability. Except as otherwise provided by an express warranty, the Contractor will not be liable to the Government for consequential damages resulting from any defect or deficiencies in accepted items.

(q) Other compliances. The Contractor shall comply with all applicable Federal, State and local laws, executive orders, rules and regulations applicable to its performance under this contract.

(r) Compliance with laws unique to Government contracts. The Contractor agrees to comply with 31 U.S.C. 1352 relating to limitations on the use of appropriated funds to influence certain Federal contracts; 18 U.S.C. 431 relating to officials not to benefit; 40 U.S.C. 327, et seq., Contract Work Hours and Safety Standards Act; 41 U.S.C. 51-58, Anti-Kickback Act of 1986; 41 U.S.C. 265 and 10 U.S.C. 2409 relating to whistleblower protections; 49 U.S.C. 40118, Fly American; and 41 U.S.C. 423 relating to procurement integrity.

(s) Order of precedence. Any inconsistencies in this solicitation or contract shall be resolved by giving precedence in the following order:

(1) The schedule of supplies/services.

(2) The Assignments, Disputes, Payments, Invoice, Other Compliances, and Compliance with Laws Unique to Government Contracts paragraphs of this clause.

(3) The clause at 52.212-5.

(4) Addenda to this solicitation or contract, including any license agreements for computer software.

(5) Solicitation provisions if this is a solicitation.

(6) Other paragraphs of this clause.

(7) The Standard Form 1449.

(8) Other documents, exhibits, and attachments.

(9) The specification.

(t) Central Contractor Registration (CCR).

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center">PIIN/SIIN W56HZV-04-D-0181 MOD/AMD</p>	<p align="right">Page109 of 113</p>
-------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

(1) Unless exempted by an addendum to this contract, the Contractor is responsible during performance and through final payment of any contract for the accuracy and completeness of the data within the CCR database, and for any liability resulting from the Government's reliance on inaccurate or incomplete data. To remain registered in the CCR database after the initial registration, the Contractor is required to review and update on an annual basis from the date of initial registration or subsequent updates its information in the CCR database to ensure it is current, accurate and complete. Updating information in the CCR does not alter the terms and conditions of this contract and is not a substitute for a properly executed contractual document.

(2) (i) If a Contractor has legally changed its business name, ``doing business as'' name, or division name (whichever is shown on the contract), or has transferred the assets used in performing the contract, but has not completed the necessary requirements regarding novation and change-of-name agreements in FAR subpart 42.12, the Contractor shall provide the responsible Contracting Officer a minimum of one business day's written notification of its intention to (A) change the name in the CCR database; (B) comply with the requirements of subpart 42.12; and (C) agree in writing to the timeline and procedures specified by the responsible Contracting Officer. The Contractor must provide with the notification sufficient documentation to support the legally changed name.

(ii) If the Contractor fails to comply with the requirements of paragraph (t)(2)(i) of this clause, or fails to perform the agreement at paragraph (t)(2)(i)(C) of this clause, and, in the absence of a properly executed novation or change-of-name agreement, the CCR information that shows the Contractor to be other than the Contractor indicated in the contract will be considered to be incorrect information within the meaning of the ``Suspension of Payment'' paragraph of the electronic funds transfer (EFT) clause of this contract.

(3) The Contractor shall not change the name or address for EFT payments or manual payments, as appropriate, in the CCR record to reflect an assignee for the purpose of assignment of claims (see Subpart 32.8, Assignment of Claims). Assignees shall be separately registered in the CCR database. Information provided to the Contractor's CCR record that indicates payments, including those made by EFT, to an ultimate recipient other than that Contractor will be considered to be incorrect information within the meaning of the ``Suspension of payment'' paragraph of the EFT clause of this contract.

(4) Offerors and Contractors may obtain information on registration and annual confirmation requirements via the internet at <http://www.ccr.gov> or by calling 1-888-227-2423 or 269-961-5757.

[End of Clause]

35

52.222-35

AFFIRMATIVE ACTION FOR SPECIAL DISABLED AND VIETNAM-ERA VETERANS

APR/1998

(a) Definitions. As used in this clause --

All employment openings includes all positions except executive and top management, those positions that will be filled from within the contractor's organization, and positions lasting 3 days or less. This term includes full-time employment, temporary employment of more than 3 days' duration, and part-time employment.

Appropriate office of the State employment service system means the local office of the Federal-State national system of public employment offices with assigned responsibility to serve the area where the employment opening is to be filled, including the District of Columbia, Guam, the Commonwealth of Puerto Rico, and the Virgin Islands.

Positions that will be filled from within the Contractor's organization means employment openings for which no consideration will be given to persons outside the Contractor's organization (including any affiliates, subsidiaries, and parent companies) and includes any openings that the Contractor proposes to fill from regularly established "recall" lists. The exception does not apply to a particular opening once an employer decides to consider applicants outside of its organization.

Veteran of the Vietnam era means a person who --

(1)

Served on active duty for a period of more than 180 days, any part of which occurred between August 5, 1964, and May 7, 1975, and was discharged or released therefrom with other than a dishonorable discharge; or

(2)

Was discharged or released from active duty for a service-connected disability if any part of such active duty was performed between August 5, 1964, and May 7, 1975.

(b) General.

(1) Regarding any position for which the employee or applicant for employment is qualified, the Contractor shall not discriminate against the individual because the individual is a disabled veteran or a veteran of the Vietnam era. The Contractor agrees to take affirmative action to employ, advance in employment, and otherwise treat qualified disabled veterans and veterans of the Vietnam era without discrimination based upon their disability or veterans' status in all employment practices such as --

(i)

Employment;

(ii)

Upgrading;

(iii)

Demotion or transfer;

(iv)

Recruitment;

(v)

Advertising;

(vi)

Layoff or termination;

(vii)

Rates of pay or other forms of compensation; and

(viii)

Selection for training, including apprenticeship.

(2) The Contractor agrees to comply with the rules, regulations, and relevant orders of the Secretary of Labor (Secretary)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 110 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

issued under the Vietnam Era Veterans' Readjustment Assistance Act of 1972 (the Act), as amended.

(c) Listing openings.

(1) The Contractor agrees to list all employment openings existing at contract award or occurring during contract performance, at an appropriate office of the State employment service system in the locality where the opening occurs. These openings include those occurring at any Contractor facility, including one not connected with performing this contract. An independent corporate affiliate is exempt from this requirement.

(2) State and local government agencies holding Federal contracts of \$10,000 or more shall also list all employment openings with the appropriate office of the State employment service.

(3) The listing of employment openings with the State employment service system is required at least concurrently with using any other recruitment source or effort and involves the obligations of placing a bona fide job order, including accepting referrals of veterans and nonveterans. This listing does not require hiring any particular job applicant or hiring from any particular group of job applicants and is not intended to relieve the Contractor from any requirements of Executive orders or regulations concerning nondiscrimination in employment.

(4) Whenever the Contractor becomes contractually bound to the listing terms of this clause, it shall advise the State employment service system, in each State where it has establishments, of the name and location of each hiring location in the State. As long as the Contractor is contractually bound to these terms and has so advised the State system, it need not advise the State system of subsequent contracts. The Contractor may advise the State system when it is no longer bound by this contract clause.

(d) Applicability. This clause does not apply to the listing of employment openings that occur and are filled outside the 50 States, the District of Columbia, the Commonwealth of Puerto Rico, Guam, and the Virgin Islands.

(e) Postings.

(1) The Contractor agrees to post employment notices stating --

(i) The Contractor's obligation under the law to take affirmative action to employ and advance in employment qualified disabled veterans and veterans of the Vietnam era; and

(ii) The rights of applicants and employees.

(2) These notices shall be posted in conspicuous places that are available to employees and applicants for employment. They shall be in a form prescribed by the Deputy Assistant Secretary for Federal Contract Compliance Programs, Department of Labor (Deputy Assistant Secretary), and provided by or through the Contracting Officer.

(3) The Contractor shall notify each labor union or representative of workers with which it has a collective bargaining agreement or other contract understanding, that the Contractor is bound by the terms of the Act, and is committed to take affirmative action to employ, and advance in employment, qualified disabled veterans and veterans of the Vietnam Era.

(f) Noncompliance. If the Contractor does not comply with the requirements of this clause, appropriate actions may be taken under the rules, regulations, and relevant orders of the Secretary issued pursuant to the Act.

(g) Subcontracts. The Contractor shall include the terms of this clause in every subcontract or purchase order of \$10,000 or more unless exempted by rules, regulations, or orders of the Secretary. The Contractor shall act as specified by the Deputy Assistant Secretary to enforce the terms, including action for noncompliance.

(End of Clause)

36 252.204-7004 ALTERNATE A

NOV/2003

As prescribed in 204.1104, substitute the following paragraph (a) for paragraph (a) of the clause at FAR 52.204-7:

(a) Definitions. As used in this clause--

"Central Contractor Registration (CCR) database" means the primary Government repository for contractor information required for the conduct of business with the Government.

"Commercial and Government Entity (CAGE) code" means--

(1) A code assigned by the Defense Logistics Information Service (DLIS) to identify a commercial or Government entity; or

(2) A code assigned by a member of the North Atlantic Treaty Organization that DLIS records and maintains in the CAGE master file. This type of code is known as an "NCAGE code."

"Data Universal Numbering System (DUNS) number" means the 9-digit number assigned by Dun and Bradstreet, Inc. (D&B) to identify unique business entities.

"Data Universal Numbering System +4 (DUNS+4) number" means the DUNS number assigned by D&B plus a 4-character suffix that may be assigned by a business concern. (D&B has no affiliation with this 4-character suffix.) This 4-character suffix may be assigned at the discretion of the business concern to establish additional CCR records for identifying alternative Electronic Funds Transfer (EFT) accounts (see Subpart 32.11 of the Federal Acquisition Regulation) for the same parent concern.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 111 of 113
Name of Offeror or Contractor: ANHAM JOINT VENTURE		

"Registered in the CCR database" means that-

- (1) The Contractor has entered all mandatory information, including the DUNS number or the DUNS+4 number, into the CCR database;
- (2) The Contractor's CAGE code is in the CCR database; and
- (3) The Government has validated all mandatory data fields and has marked the records "Active."

[End of Clause]

37 252.225-7043 ANTITERRORISM/FORCE PROTECTION POLICY FOR DEFENSE CONTRACTORS JUN/1998

(a) Except as provided in paragraph (b) of this clause, the Contractor and its subcontractors, if performing or traveling outside the United States under this contract, shall-

- (1) Affiliate with the Overseas Security Advisory Council, if the Contractor or subcontractor is a U.S. entity;
- (2) Ensure that Contractor and subcontractor personnel who are U.S. nationals and are in-country on a non-transitory basis, register with the U.S. Embassy, and that Contractor and subcontractor personnel who are third country nationals comply with any security related requirements of the Embassy of their nationality;
- (3) Provide, to Contractor and subcontractor personnel, antiterrorism/force protection awareness information commensurate with that which the Department of Defense (DoD) provides to its military and civilian personnel and their families, to the extent such information can be made available prior to travel outside the United States; and
- (4) Obtain and comply with the most current antiterrorism/force protection guidance for Contractor and subcontractor personnel.

(b) The requirements of this clause do not apply to any subcontractor that is-

- (1) A foreign government;
- (2) A representative of a foreign government; or
- (3) A foreign corporation wholly owned by a foreign government.

(c) Information and guidance pertaining to DoD antiterrorism/force protection can be obtained from (Contracting Officer to insert applicable information cited in 225.7401).

[End of Clause]

38 252.246-7000 MATERIAL INSPECTION AND RECEIVING REPORT MAR/2003

- (a) At the time of each delivery of supplies or services under this contract, the Contractor shall prepare and furnish to the Government a material inspection and receiving report in the manner and to the extent required by Appendix F, Material Inspection and Receiving Report, of the Defense FAR Supplement.
- (b) Contractor submission of the material inspection and receiving information required by Appendix F of the Defense FAR Supplement by using the Wide Area WorkFlow-Receipt and Acceptance (WAWF-RA) electronic form (see paragraph (b)(1) of the clause at 252.232-7003) fulfills the requirement for a material inspection and receiving report (DD Form 250).

(End of clause)

39 52.246-4026 LOCAL ADDRESS FOR DD FORM 250 JAN/2002
(TACOM)

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

- (1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:
DD250@tacom.army.mil

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0181 MOD/AMD	Page 112 of 113
---------------------------	-------------------------------------------------------------------------------------------------------------	-------------------------------

Name of Offeror or Contractor: ANHAM JOINT VENTURE

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number: (586) 574-5527 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://web1.whs.osd.mil/icdhome/DD-0999.htm>

[End of Clause]

40	52.247-4016	HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS	JUL/2002
	(TACOM)		

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEBILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued		Page113 of 113
	PIIN/SIIN W56HZV-04-D-0181	MOD/AMD	
Name of Offeror or Contractor: ANHAM JOINT VENTURE			

LIST OF ATTACHMENTS

List of Addenda	Title	Date	Number of Pages	Transmitted By
Attachment 001	RESERVED			
Attachment 002	RESERVED			
Attachment 003	PRICING SPREADSHEET	12-MAY-2004		
Attachment 004	DELIVERY SCHEDULE	12-MAY-2004		
Attachment 005	UNIT LEVEL ARMORER KIT COMPONENT LISTING	12-MAY-2004		
Attachment 006	ROUTINE MAINTENANCE SPARES BY ITEM	12-MAY-2004		